persument los received and life this insurance to record an included day at Martin 1921 of the County of the County of the County Recorder by Minest my conditions of the County Recorder by Martin 1921 of the County Recorder by Martin 19

DEC 21 1972

## STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER COMPLETE gravel, shale, sandstone, etc. Show APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under	Chapter	237	Montana	Session	Laws.	1961.	25	amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner George Fisher	
Owner managemental management	For Administrator's Use
Address 720 Turner	File 325899
Missoula	Nec. 15, 1972
Date well started Neys 15 1972	3:00 pm. GW 1
completed Nav. 17.1972	
Type of well	Dug, driven, bored or drilled)
	(Churn drill, rotary or other)
Water Use: Domestic 🛣 Municipal [	☐ Stock ☐ Irrigation ☐
Industrial 🔲 Drainage 🔲 C	Other []* Garden/Lawn []
*Describe	***************************************
USE: If used for irrigation, industrial, state number of acres and location	drainage or other. Explain, or other data (i.e. Lot, Block

and Addition).

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS			
6# 611				Kind Size	From (Feet)	To (Feet)	
<b>4</b> 11	6 5/8ed 1? 1b.	18*w	61 ft.	<del>拉尔外发外</del>	<del>科状紫竹蜂</del>	<del>新作品 [[報]</del>	
	Ì			İ		1	

		I	ς	
v				
•	l			
+				*
		1	5	

N 2 WSE	¼	Sec	17
T/2	N R	17.	<u>~</u>
-	€~		W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Driller's Address .... Box. 47.....

DRILLER'S LOG

Indicate the character, color, thick-MCHYANA BULLATIVENT OF FRESS of Strata such as soil, clay, sand, depth at which water is found and height to which water rises in well.

ivar)	1, 1702						,
on L	aws, 1961,	as amend	ed)	Top of	Ground	d (Elev. above sea level)	
, an	d_three_co	oies to be	filed	From (Feet)	To (Feet)		_
and to b	Recorder i e retained	in the coun by driller.	ity in	<del>(Feel)</del>	24	ELEAST REUT CORDISATORS	
	bie, so stat		e the				
			]	24	29	recoish brewn same	
_				29	41	sand gravel in clay	¦.
[		istrator's U	se :			- ما به کریم این می می می به به به این می این این این این این این این این این ای	
F	ile <i>325.0</i>	899		41	13	red argellt boulder	
-12	100 15	- ,020		43	45	red celered sand	
<i>!</i>	lec.15	1.1.7.f64.					
G	w i	7		45_	58	gravel and sandy water	
- 1				<del>58</del>	61	clean gravel and water	
<u>}</u>							
			********		ļ	<del></del>	
(Dug	, driven, bored	or drilled)			<del> </del>	<del></del>	
(C	hurn driji, rotary	or other)				ده زیم کار بیده شد بده بری کار بین کی بین کار می ا	
1 🗆	Stock 🗀	Irrigatio	on 🗀				
					<del> </del>		<del></del> i
Off	ner 🗆 * (	Garden/Lav	vn □				
	•••••	************					
al, d	lrainage or or other dat	other. Ex	plain,			<del> </del>	
ion d	or other dat	a (i.e. Lot,	Block				
•••••	••••••		******				
AC.	,000						- 4
	.)v.yv						
et)		ERFORATION				L	
	Kind Size	From (Feet)	To (Feet)			<del> </del>	- 1
ft.	经明务基件	<del>#####</del>	<del>SECHEN</del>				1
					<b></b> -	<del> </del>	į
						<del>                                                               </del>	1
							ì
			1		<b></b>		- 1
		<del>'</del>					i
Stati	c water lev	el	30ft.*				1
Pum	ping water	level	<b>33</b> ft.*		<b></b> -	<del></del>	-
mea	sured60	minutes afte	er pumping				į
beg	an.						1
*Me	esured from I developed	n ground le	evel. 1 <b>er</b>		<b>├</b>		, i
for	A	hours.					į
	er						-
	arks: (Grav cers, type o				<del>}</del>		i
,							:
	• • • • • • • • • • • • • • • • • • • •	••••••••					
*****					<del> </del>		
ים ח	ACE OF U	SE IE DAS	SIRI F				
	ACE OF U	OL, 11º FO	,01DLL.				
20		Zeelie	,		<del> </del>		
× 0							
					1		

Application of the second states of

3. J.

I received and filed this fastrament for record on the 15 and or of Add 19 75 at 3.00 or specific M. permanent files of Missouta County State or Montano
Witness my name
Verance A. Craise, County Records
by Manager Deputy

JAN 18 1973

Top of Ground

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODENA DEPARTMENT OF NATURAL DESS OF Strate such as soil, clay, sand, MONTANA WATER RESOURCES BOARD COUNTAINS OF NATURAL DESS OF Strate such as soil, clay, sand, or construyation gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well. NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Sossion Laws, 1961, as amended)

Driller's Address 1558 So.5th.W. MISSOULA, MONTANA

	hv the <b>aw</b> i	BAP WITH th	e County	Clark and	Decorder	pies to be in the cour	filed nty in	From (Feet)	Ts (Feet)		
		well is loca						_QL	6'_	_Mell_pit	
	Please ansy form may l	ver all ques be returned	itions. If r	ot applica	ble, so sta	te, otherwis	e the	<u>6'</u>	16'	Tan Clay grayal and	
	Owner LE	s h	LLFORD		For Admi	nistrator's U		261	481		
	ي. Address	LIDE	ROCK			3.32686		4616	5018	Sand gravel and	
	DRIV	e C	LIN T			, 1973			00'0		
		started .JA		1/	,	o. P.i.	ļ				
	com	pleted JAI	V.9,197	<b>a</b>	,						
	Type of we	ellDi	RILLED		, driven, bored	*************					
	Equipment	used	C	HUFN	, driven, bored	or drilled)				الشهر وهو التام موادر وهو وهو وهو والتو والتو والتو وهو وهو وهو والتو والتو والتو والتو والتو والتو والتو	
	Water Use	: Domestic	KK Mu	cı 🗀 nicipal	urn drill, rotal Stock	ny or other; ] Irrigatio	on 🖺				11.70
	Ind	ustrial 🔲	Drainage	□ Oth		Garden/Lav				من بين بين بين بين بين بين بين بين بين بي	,221 y
	*Describe	***************************************				***************************************					
	USE: If us	ed for irri	gation, inc	dustrial, d	italnage or	r other. Ex Ita (i.e. Lot,	oplain,				1.7
											. Š.
	ESTIMATED	ANNUAL	WITHDRAN	VAL			•••••				
	Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	1	PERFORATIO:	70				8
6# ]	.D. 6-1	/8"OD	ground level	5016"		From (Fed)	To (Feet)				
	i	4"8149	Tenat		none	none	none			ر جب الله جب رمان مساو ميوه شاه جب الله سنو بسيا ساء من وسيا ساء من وسيا ساء من وسيا م	
		"			,						
		N	<del></del>	k		32	<del></del>				<b>\</b> .
		¥		Stati	c water le pipg wate	ve:	ft.'				
				J Smea	sured 120	r levelgallons gallons .minutes aft	per minute ter pumping	, ,			
	w		+	¥ theg.	secured fro	m ground l	evel.				
				- Sfor		d by <b>tast</b> hours.		1			
				Q Rem	ver	Pump vel packing,	, cementing				1
		8 41 1/2	17	•	kers, type	of shutoff) .					1
	.N.E.V	4 N.W. 4 S	ec//	······		***************************************			<del> </del>		1
		~	•		LACE OF	USE, IF PO	SSIBLE				1
		ALL SQUAR	E REPRESI	ENTS 40	ACRES.						1
	Driller's Si	ionature	Then	nett.	16%	Ilian	en.				1.

Show exact depth of bottom

5016"

I received and filed this instrument for received and filed of 1973 at 2000 elock. M., permanent files of Mission County, State of Montana Witness my hand:
Delothy L. Head, County Recorder By Many County Paled

Feb \$ 2000 County Paled

### DRILLER'S LOG

depth at which water is found and

height to which water rises in well.

Top of Ground

STATE, OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

### HOLD Fifth 1972 Fig. 11 Ciness of atrata such as soil, clay, sand, 
## NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

EACH SMALL SQUARE REPRESENTS AD ACRES.

Driller's Signature CAMP WELL DRILLING & PUMP SUPPLY

Driller's Address 1822 S. 14th W. Missoula, Montana 59501

TED Characteristic has or pirate sound as the found and Developed after January 1, 1962 (Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **ewner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Te (Feet) Well: Denavan Creek o 48 Clay & Houlders Please answer all questions. If not applicable, so state, otherwise the form may be returned. 46 74 Clay, Gravel & Poulders 74 93 Sand & Gravels (Water) Owner Lana Managa For Administrator's Use 93 Gravel (water) Address 1336 Howe Lt File 2544,334096 Misseyla, Mentann 55201 Jeans 28,1973 Date well started June 9, 1973 completed June 9, 1973 Drilled Type of well ..... (Dus. driven, bored or drilled) Equipment used Retary Drill (Churn delli, rotary or other) Water Use: Domestic ₹ Municipal ☐ Stock ☐ Irrigation ☐ industrial ☐ Drainage ☐ Other ☐\* Garden/Lawn 🔲 \*Describe ..... USE: If used for irrigation, industrial, drainage or other. Explain, state number of iscres and location or other date (i.e. Lot, Block and Addition). ESTIMATED ANNUAL WITHDRAWAL . Size and Weight of Cucing Size of Drilled Hole PERFORATIONS 6"19 6"10 18" 971 (Feet) 1710 above per ft g.l. none 75 Static water level ...... o Well measured .......gallons per minute, began. \*Measured from ground level. Well developed by Afr compressor for hours. Power Does Prinp GRP LY HP Remarks: (Gravel packing, cementing, packers, type of shutoff) ...... INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.

971 Show exact depth of bottom

334096

I received and filed this instrument for record on the 2 Eday of 1921 1921 at 1920 clock 1921 M. permanent files of Missoula County, State of Montana Witness my hand:

Dorothy L. Head, County Recorder By Many Many Second

d-...

		•			·				
GW 2				Approved	Stock Form-	-State Publish	ing Co., Helena,	. Montana-45	542
File No						T	<i> a</i> r	17	
TRIPLIC	JATE	MONTH DE TOTAL DE LA CASA DE LA C		٠٠ نان		Cou	nty 💯	una	la
	LOG	REGEL				OF MONT			
	Top of Ground	AUG .	1971	administi Opp			ndwater Ngineer	CODE	
- 1	•		Noti	ce of C	omple	tion o	of Grou	ındwat	er
	Filed for record	922)	A	ppropri	onipi ation	by M	eans of	Well	
	this 2 day of	Quariet					UARY 1,		
	A. D. 19_7/, at.a.	2:35	(1	Under Chap	ter 237, 1	Montana S	Session Law	rs, 1961)	
	Omennen 61	Owne	. WAY	BR KANNE	g mai	Addro	ss CLTMR	DM. MON	TANA
	SAND & GRAVEL							•	
	4-	Drille	rBRK	BR DRILL	184	Addre	ss. FOLSO	K	
	6'14'	- Date	of Notice	of appropri	ation of	groundwat		**************	
=	CLAY & CRAVEL	Date	well star	ied11/8	/67	Date			
	14169!	Туре	of well	g, driven, bor	Dam daill	Equipm	ent used	HURN DE	ry or other)
	GRAVEL & WATER	(no) (raise)Water		Bomest		, [unicipal [			rigation []
	- 641 cm=801	-	••	Industri		)rainage [	-	her 🗆	
- =		met v	rith in d	n the diagra rilling, such	as soil, o	lay, shale,	gravel, roc	k or sand	, etc. Show
[	VATER			h water is er ght to which				acter of w	ter-bearing
	307755		se of	Size and	Prom (Feet)	To		ERFORATIO!	(3
			rified Sale	Weight of Casing	(Fee)	(Feet)	Kind	From (Feet)	Te (Feet)
	4	_	św.	6 I.D.	б	26	none d	MILLI	1111
		•		1711			ZALA	2º ab	70
	·	•		17#			out torch	2° ab	70
1		•		17#	_		out torch	2° ab	VO.
				17#				,	Ve
				17#P	s	tatic Wa		for non-fl	owing well
			и	17#	7		ter Level	for non-fl	feet.
			,	17#	s	hut-in Pre Pumping \	ter Level	for non-fl 681 dowing We	feet.
				17#	s	hut-in Fre rumping V	ter Level	for non-fl 68° lowing We	feet.
				17#	s	hut-in Fre rumping V	ter Level	for non-fl 68° lowing We	feet.
			<i>y</i>	17#	s	hut-in Fre Pumping V at 12 Discharge	ter Level  ssure for Fl  Water Leve  in gal. per	for non-fl 681 dowing We l. 681 ral, per m min. of f	feet.  Ilfeet inute. lowing well
				N N	S	hut-in Free Pumping V at 12 Discharge Discharge	ter Level  ssure for Fl  Vater Leve  in gal. per  BAL  Test. 2 hz	for non-fi 68° dowing We l682 ral. per m min. of fi	feet.
			<i>y</i>	17#	S	thut-in Pre Pumping V at 12 Discharge How Tested Length of Camarks:	ter Level  Sure for Fi Water Leve  in gal. per  BAL  Test. 2 hz  (Gravel pac	for non-fi 681 dowing We l. 681 ral, per m min. of fi	feet. llfeet inute. lowing well nting, pack-
		W	,MW/Sec	/2.T./2.I	S I	hut-in Fre cumping \( \) at 12 bischarge low Tested length of \( \) temarks: (\)	ter Level  ssure for Fl Water Leve  in gal. per  BAI  Test 2 hz (Gravel pac	for non-fi 681 dowing We l. 682 ral, per m min. of fi .ED	feet.
		M.W.1/ Indic place	MWSccate local of use,	/2. T. /2. I tion of wel if possible.	S I	thut in Pre cumping V at 12 Discharge How Tested length of temarks:	ter Level  ssure for Fl Water Leve  in gal. per  BAI  Test 2 hz (Gravel pac	for non-fi 68° towing We 1	feet. llfeet inute. lowing well nting, pack-
		M.W.1/ Indic place	AwSecate lose of use, square	/2.T./2.T	S I	thut in Pre cumping V at 12 Discharge How Tested length of temarks:	ter Level  ssure for Fi Water Leve  in gal. per  BAI  Test 2 hz (Gravel pac f shutoff)  bottom	for non-fi 68° towing We 1	feet. llfeet inute. lowing well nting, pack-

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Show exact depth of bottom.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's Signature.

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

305922

· 11/10 1/10 1/17

i . ... .e by,

..

*	Missoula, M	ntana	Approved	Stock Form		ing Co., Holena		, —
No		Tim To the medical	BOAL			12N R		*************
LICATE	ONTANA WATE		)		Con	nty71	isso	ula
	***		•	STATE (				
	•	8	ADMINISTI				CODE	
Top of G	zound					NGINEER	• .	
(Elev. ab	ove sea level		ice-of C					er
		,	Appropri			Bais oi Iuary 1,		
0-20	Brown Clay					<u> </u>		
			(Under Chap				•	
20-60	Tan Glay and gro	OwnerRok	ert M. Me	1896A	nbbA	ess <b>Dan</b> a	MARCom	<b></b>
80-98	Water, sand,		na Sama			1964		7 Wa
	Grevol & Cley						•	
98-102	Water and gravel	Date of Nuti	ce of appropri	ation of g	roundwat	er		********
		Date well sta	rted/MRQ	R2 <u>, 194</u>	Date	completed	June Z	7,196
		Type of well	Des.	led	Equipm	ent used	Chura Li	p444
		(D	ug, driven, bor	ed or drille ic 🜃 M	d)	(Chu	rn drill, rota	ry or oth
		Water use:	Domest Industri	_	unicipai ( Fainage [	= -	ock [] Ir her []	rigation
	,		on the diagra					
		depth at whi	drilling, such ich water is er	countered	i, thickne	m and char		
		strata and he	eight to which	the wate	r rises in	the well.		
i		Sino of Drilled	Size and Weight	From (Foot)	To (Fest)		erponation	
		Hele	of Coding	3"	İ	Kind Size	From (Foot)	To (Feet)
1		6" 1.D.	6" 1.D.	G.L.	102*	1		
			per 11	••••			MOME.	
					ŀ	j		
							-	
							<u></u>	
'			N	s	tatie Wa	ter Level		-
		•						
·						ssure for F		
						Water Leve		
·		*		ן י <sub>ס</sub>		in gal. per		
				н	ow Tested	.Tess.P		ller
		<u> </u>	<u>_</u>			Test		
		*****	,			(Gravel pac		
	7w4	NW 1/4 Sec.	.1.7 T.1.2.1/ Fation of wel	V.J.I.Y	rs, type of	shutoff)	•	************
` <b>.</b>		place of use	, if possible.	Each		******************		
		amall aqua acres.	re represent	<b>■ 4</b> U				**********
		A	***************************************			······································		***********
.		***************************************				(Cont		
		USE—If us numb	ed for irriga er of acres a	tion, indu id location	istrial, di n or other	ainage or data (i.e.	other, Ex	plain, st
.		tion).			""			
		***************************************		*************				***********
Show ex	act depth of bottom.	***************************************				********************	••••••	***********

retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

44,270

I received and filed this instrument, leg record on the series of the series of Missoula County. State of Manager Witness my hand:


Veranice B. Croppe Dunit Regurder By State of Manager Deputy for \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and \$2.00 and

IPLICATE	RECEIVE	•	~- ·		Missas	, f
LOG _	NOV 34 1967		Cou TE OF MONT	AKA		
Top of Ground		ADMINISTRATO	R OF GROUD OF STATE E		CODE	
	Not	ice of Com			ındwatı	<b>D</b> r
(Elev. above sea level	•	hppropriation	• _			51
- 2-32'		DEVELOPED	AFTER JAN	IUARY 1,	1962	
GAY A GRAYE	•	(Under Chapter 2	37, Montana 8	Session Law	ra, 1961)	
-861 301	Owner	nznyden	nbbA	<b>BOX</b>		1.50
- BOUT.TIMES		erer delitti		207	BON	
- 44					•••••	
		e of appropriation	1967 Date	<i></i>	Aug. 1	_
GAY A STATE	Date well star	rted	Date		ACCE IN	.,
- 4964	Type of well.	g, driven, bored og	Equipm drilled)	ient werd	ra drill, rota	
GRAYEL & VATER	Water use:	Domestic L	Municipal (		ock [] In	igation
DO STROM	Indicate	on the diagram th	e character an	d thickness	of the diffe	rent stra
_	met with in depth at which	drilling, such as s ch water is encoun	oil, clay, shale, tered, thickne	, gravel, ros m and char	ck or sand,	etc. Sho
_ [ '	strata and he	ight to which the	water rises in	the well.		
-	Rice of DyMod Field		ent) (Pest)		ERPORATION	
-	,		}	Mind Sino	Presi (Fest)	(Fest)
-	6*	F I.D.	64	neme	mene	144
			1			
_				Ī	}	
-						ويود المحاصور
_		N	Static Wa	ter Level	for non-flo	w gaiw
-			AT 4 d 43		************	fe
-					lowing Well	
	*		E At	18	ral, per mit	
_			Discharge	in <b>¢a</b> l. per	min. of fl	owing w
- 1			How Tested	, bet -		***************************************
-				Test	2 hrs	••••••
-		•			king, cemen	ting, pa
-	ALWY ALKSOC.	17T.12 B.1.7.		•	******	
- 1	place of use,	ation of well and, if possible. Each	<u>h</u>			
- [ '	small squar acres.	re represents 4				**********
i	*****************		••••••	•••••••••••		·····
-	*****************	***************************************		•		
-		A for land Al	ingustrial. (1)	rainage or	OTDER. EX	piain, str
<del>-</del>	USE—If use	ed for irrigation, er of acres and lo	eation or other	r data (i.e.:	: Lot, Block	and Au
- - - -	USE-If use	ed for irrigation, er of acres and lo	eation or other	r data (i.e.		
  	USE—If use	ed for irrigation, er of acres and lo	eation or other	r data (i.e.	Lot, Block	
Show exact depth of both	USE—If use numb tion	ed for irrigation, er of acres and lo	eation or other	r data (i.e.		
Show exact depth of both his form to be prepared by driller, and	USE—If use numb tion	mestic	eation or other	r data (i.e.		

ETABLESTUC. 265892 I received and flied this Instrument too record on the Za day of Red. 19 Kg at the South of the South of Missoula County, State of Messaula Wilness my bond:

O Varango R. Crouse, County Becorder Re Albertay Respective Forms. 0400643kH0339 (211% / 40190k) Conference (Conference) Los Protein Diremmen in gelt gen indie est linering und 5 Jula 5 Jula

w 2 ile No.	M:U)	Approved Stock P  RECEIVED	orm—State Publishing Co., Helena, Montana—42329 T
UPLIC		NOV 4 1970	County missaula
	LOG Top of Ground	STAT ADMINISTRATO	TE OF MONTÁNA R OF GROUNDWATER CODE OF STATE ENGINEER
-	(Elev. above sea level	Notice of Com	pletion of Groundwater
- 1	(15194: 90046 969 1646T***********************************	·	n by Means of Well
- ]	/ /		AFTER JANUARY 1, 1962
	deforty eni	(Under Chapter 23	7, Montana Session Laws, 1961)
_	0		KE Address ClimToN MONT.
-		Driller (Salam &)	Address (S A van C )
-		Date of Notice of appropriation	of groundwater
-		Date well started	Date completed
_			Equipment used Mamme K
_		(Dug, Driven, bored or drilled)	(Churn drill, rotary or other)
L		Water use: Domestic [2] Industrial	
<u> </u>		Indicate on the diagram the	character and thickness of the different strata
_		depth at which water is encount	il, clay, shale, gravel, rock or sand, etc. Show ered, thickness and character of water-bearing
-		strata and height to which the	water rises in the well.
-		Size of Size and From Drilled Weight (Fee	
-		Hole of Casing	Kind From To
F		95m. Vin 18	1091. 13 in 107/1 68/
<u> </u>	30	Dick	holes
_	14. 3		
	302		
	10	<u></u>	Citation Transfer in the citation of the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citation in the citat
_	1 3		Static Water Level for non-flowing well
_	10	'	Shut-in Pressure for Flowing Well
_	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Pumping Water Level 5.5 feet
-	W 3	W E	at gal. per minute.
H	$\forall \ \%$		Discharge in gal. per min. of flowing well
-	)		How Tested
-			Length of Test
<b> </b>	Doc. No. 29.6.391	· W	Remarks: (Gravel packing, cementing, pack-
	Filed for record	1/4 Sec/7 T/20 R/70	ers, type of shutoff)
	A. D. 19_70	Indicate location of well and place of use, if possible. Each	
	o'clock M.	small square represents 40 acres.	
		***************************************	
L			(Continue on reverse side)
-		number of acres and loca	industrial, drainage or other. Explain, state ation or other data (i.e.: Lot, Block and Addi-
<u> </u>	Į.	Blaks LOTS S	SECTION 17 TOWNSHILL
-	1. Lest	NORTH KANGE	LTWEST TOWNSHIP
<u> </u>	Show exact depth of bottom.		***************************************
		copies to be filed by the owner with the	
	Clerk and Recorder in the county in w by driller.	hich the well is located, tissue copy to be	
Please a returned		le, so state, otherwise the form will be	Driller's Signature
returned	ia .		



5.÷. ↓ G₩ 2	•. •	Approved Stock Po	orm—State Publishing Co., Helena, Montana—42329
File No	R	CEIVED	T 121/R 17W
DUPLIC	CATE	NOV 4 1970	County messale
	LOG		E OF MONTANA L OF GROUNDWATER CODE
	Top of Ground	OFFICE O	F STATE ENGINEER
-	(Elev. above sea level		oletion of Groundwater
_	,		n by Means of Well AFTER JANUARY 1, 1962
-	2 forty pri		7, Montana Session Laws, 1961)
_	0	Owner TO HOC Ros	KE Address CliNTON MONT.
-		Driller (Same)	Address (SAm = )
	1	<del>-</del> -	of groundwater
_			Date completed 8-30 68
-		Type of well DRIVE A) (Dug, Driven, bored or drilled)	(Churn drill, rotary or other)
		Water use: Domestic M A Industrial	Iunicipal ☐ Stock ☐ Irrigation ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
_		Indicate on the diagram the	character and thickness of the different strata, clay, shale, gravel, rock or sand, etc. Show
-		depth at which water is encounte strata and height to which the w	ered, thickness and character of water-bearing
		Size of Size and From	To PERFORATIONS
-	ļ	Hole of Casing	Sind From To Size (Feet) (Feet)
-		4/2 in Vin	1. 3 in 37/4 68/1.
_	YE	مانسنال	Roles
<u> </u>	7.1		
-			
_	<b>1 3 3</b>	N	Static Water Level for non-flowing well feet.
-	16		Shut-in Pressure for Flowing Well
<b> </b>	1 3		Pumping Water Level
	12/2	"	Discharge in gal. per min. of flowing well
_	` *		How Tested
-			Length of Test
	Flor. No. 296391		Remarks: (Gravel packing, comenting, pack-
	Filed for record	Judicate location of well and	2.,, ypo or saucer,
-	. D. 19 70, at 11.00	place of use, if possible. Each small square represents 40 acres.	***************************************
			(Continue on reverse side) ndustrial, drainage or other. Explain, state
-		number of acres and loca	tion or other data (i.e.: Lot, Block and Addi-
	, ,	Block 3, 2073 S	2740 0 12, TO WAS Hija 1.
	Show exact depth of bottom.	NORTH FANGE	17WEST.
	<u> </u>		Dulled own Will 6.11
This for	rm to be prepared by driller, and three of Clerk and Recorder in the county in wh	copies to be filed by the owner with the ich the well is located, tissue copy to be	Oriller's License Number
retained	by driller.		Jamo Posh
Please returned	answer all questions. If not applicable d.	s, so state, otherwise the form will be	Driller's Signature
•			47719

## RECEIVED

JUL 1 9 1976

MONT, DEPT. of NATURAL RESOURCES & CONSERVATION

STATE OF MONTANA County of Missoula

ران 24-

3

5

6

8

9

10

11

12 13

14

20

21

2223242526

88.

JOHN O. ROSKE and MARY ROSKE, his wife, being individually sworn, depose and say:

on the 29th day of October, 1970, at 11:00 a.m., we duly filed for record as Document No 296391, file No 2056, Notice of Completion of Groundwater Appropriation in which our property was described as Block 3, Lot 3, Section 17, Township 12, North, Range 17 West.

We have now been advised that this is an incorrect description, and, therefore, we are requesting that the location of said well be amended to read that it is located in the following-described property, to-wit:

A tract of land located in the SE $^1_1NW^1_2$  Section 17, T 12N, R 17 W, P.M.M, Missoula County, particularly described as follows:

Beginning at a point in the southwesterly boundary of Lot 3, Block 3 of Donovan Acres, according to the official plat thereof, as filed in the Clerk and Recorder's Office, Missoula County, Montana, which said point is South 1575.5 feet and East 2392.1 feet, more or less, from the Northwest corner of said Section 17; thence S 56° 00' E a distance of 175.5 feet to the true point of beginning of this description: thence, continuing S 56° 00' E, a distance of 134.5 feet; thence S 34° 00' W a distance of 100 feet; thence N 56° 00' W a distance of 129 feet; thence N 30° 51' 18" E a distance of 100.14 feet to the point of beginning.

In all other respects, the Notice is correct, to the best of our knowledge and belief.

John O. Roske

Mary Røske

SUBSCRIBED and sworn to before me this  $\frac{1}{2}$  day of July, 1976.

Notary Public for the State of Montana. Residing at Missoula, Montana. My commission expires September 20, 1978.

31

2728

29


30

32

STATE PUBLISHING CO HELENA, MONT

## ROBERT E. ARRAS

COUNTY CLERK AND RECORDER
MISSOULA COUNTY COURTHOUSE
MISSOULA, MONTAINA 59801



State of Montana
Department of Natural Resources
and Conservation
32 South Ewing
Helena, Montans 59601

Missauta County, C. Witness my hand. Robert E. Arces,

sfiroaai

ons Thicks जानं हत्ते

LARY RUGHT, the wife, being individually

as Document No 295291,

feld day of Schober, 1970, at 18100 a.m., we duly filled

ed of the

2020

33110H

â

Completion

,

broberty was

28 Eadinophi

Slock delin at neiterngeresA reference Pe

amended to read that it is located in

små, therefoce, we are requesting that the lacether of validell be

2,10

ISS TOSES - SALWALIOT

and agreed to a manufacture of the properties of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the factor of the facto

Section 17, Township 19,

E sch, Range IV Heat.

ū ٦. Ü

proberry; co-wit:

 $\overline{\circ}$ ご 8 5

A tract of land incased in the SELTA Section 17, TIRM, RIVW, E.M.M. Missoula County, particularly described as follows:

Beginning at a point in the southwesterly boundary of Lot 5, Block 3 of Demovan Acres, according to the official part thereof, as filed in the Clark and Recorder's Office, )0 1881; IC ° 0E seoula County, Montana, . 15.5%. stance of 134.5 thwest corner o o intog suri add of deel 2.271 to sometal or 134.5 feet; thence 3.34° 00° V. 200 cannot be set in a distance of 126° 00° W. a distance of 129 feet; 18" E a distance of 120° Ke in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the set in the se E a distance of 100.14 feet to the point of Montana, which said point is South thence, continu it of beginning Re distance of thence

In all other respects, the Notice is correct, to the best of

<b>*</b>	GW	2	Revised	1969

## Clinton Section House

FEE . 1877.

County Missoula

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

Indicate the character, color, thick-

DRILLER'S LOG

depth at which water is found and

height to which water rises in well.

## STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

## NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

<b>Under Chapter</b>	237 Montana	Session I ave 1061	as amounted

•	· -						10p 0.	0.00	(Elev. above sea level)	==
This form	to be prepared	ared by c	driller, ar	nd three co	pies to be	filed	Prom (Foot)	To (Feet)		1
which the	ner with the well is loca	ted, last a	copy to b	s kecorder se retained	in the cour by driller:	nty in			Warra James Sanasa and Sanasa	
Please answer all questions. If not applicable, so state, otherwise the								-9040.	Yeny dense brown sandy	
form may	be returned.	<u> </u>								
							46.5	56.5	Dense reddish-gray sandy.	<b></b> {
Owner 354	tte of Hor	THE WALL		For Admir	nistrator's U	se			green with water.	
Addressialana, Montana File#2232, 3/2430							56.4	55.8	Verne denne brown anade	
Addios-wa		*******	·············	III MARKEN		٠			_ cilty course gravel,	
***************************************		************			•					
<b>5</b>		10 10					-56.5	89.0	Dense grey sandy (grevel-	
Date Well	started <b>EQY</b> .	الكو الكه		3W 1						
com	pleted <b>May</b> .	1019	122							
			<b>L</b>							
Type of we	oll	or ill	Lengi	e. delven, hored	or drillad)	.,				
	used			<b></b> ,,,	or annos,					
edoibinoin				hurn drill, rotar	r or other)					
Water Use:	: Domestic	Mui	nicipal 🗀	Stock [	] Irrigati	on 🗀				
					<u>-</u>	_				
Indi	ustrial 🔲	Drainage	☐ Ot	her 🔲*	Garden/Lav	vn 🗆				
*Describe										
	ed for irrig									
state	number of	acres and	location	or other da	ta (i.e. Lot,	Block				i
and A	Addition)									,
410		*********		•••••••	•••••••					,
ESTIMATED	ANNUAL Y	WITHDRAY	VAL	••••••••	••••••••					
Sine of	Size and	Prom (Fost)	To (Foot)	Ι	ERFORATION	<del></del>			<del> </del>	1
Sine of Drilled Hole	Size and Weight of Casing	(Feet)	(FOR)	Kind		<del></del>				
				Stee	From (Feet)	(Feet)				
6 <b>"</b>	19.88#   per ft.	0.0	69.0							
	Per	0.0	05.0				ļ			
			1			1	·			
			}			1				
			1							
	N			<u> </u>	<u> </u>			<b> </b>	VATER ANALYSIS	
<del></del>	<del></del>	<del></del>	Stat	lic water lev	/el .33.4	ft.*	oli			
			Pun	nping water	level mg.	4ft.*	co		7-4-2-2	
			at .	25	gallons	per minute,	Phone	lthal	-in	
					minutes aft	er pumping	اللهــا	احلام	y	
w		<del></del>	-	gan. easured fro	n around l	evel.	Hothy	1 Ore		
		x	We	II developed	by		Total	Sel.	7	<b>203</b>
			for	<b></b>	nours.		Total	Keré		<b>203</b>
			Pov	ver <b>SocharLe</b>	Pump		Condu	stivi	ty 0.1 m. minos	
				narks: (Grav :kers, type o		-	Hater	49-4	t inchusting but is	
	5		,				-0017	00170	to metal.	
8E1/	41/4 Se	sc <b>1,7</b>								
T12	<u>N</u> R	17105	<u>k</u>		••••••		·	<del> </del>		
	XXX	٧	γ					<del>                                     </del>		
	LOCATION				ISE, IF PO	SSIBLE.	<b> </b>	<b> </b>		
EACH 5M	all squari	E REPRESE	:N15 40	ACRES.						
Driller's Si	ignature 🙏	lme	uZ.	RH	سينيد	L		ļ		l
					0	,		<b>├</b>		1
Driller's A	ddressCare	Drill.6	Section	ShopYd	Helen	a, Mont.		Ь		<u> </u>

.....LICENSE NO.....208......

\_ Show exact depth of bottom

69.01

A CONTROL OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE P CONTRACTOR SERVICES CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CO

The second 

ers. 

APR 10 10/Z

Missoula County.....

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

DRILLER'S LOG

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

DRILLER'S LOG

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER CODE
MONTA

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL Developed after January 1, 1962	depth at which	sandstone, etc. Show h water is found and th water rises in well.
(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of Ground	(Flor, shows see level)

							iob or	GIOUIK	(Elev. above sea level)	
This form	his form to be prepared by driller, and three copies to be filed by the ewner with the County Clerk and Recorder in the county in									
which the	Mell is loca	ited, last (	copy to b	pe retained	by driller.		Prom (Feet)	1	Topsoil	
Please ans: form may	ver all ques be returned	itions. If r	not applic	able, so stat	e, otherwis	e the	4	34	Sand, gravel, bo	uldera
	LCOLM D			Ŧ					Water bearing	
Owner 2			- 1.		nistrator's U					
Address Star Bants File 2257, 31484/										
Clinton, Montana Opil 5,1992 3:49pm									ب بات الي بالدائي ها الدار بيا	
Date well started AUEs 30s 1971 GW 1										
con	pletedANZ	. 30.	1971	······································	·····					
Type of w	on Drill	eđ	·····	g, driven, hored						
Equipment	usedQ	hurn D	riil (De	ig, driven, hored	or drilled)					
			((	hurn drill, rotar		*********				
Water Use	: Domestic	<b>₹</b> □ Mu	nicipal [	Stock [	Irrigatio	on 🔲				
Ind	ustrial 🔲	Drainage	□ O1	her 🗀*	Garden/Lav	vn 🔲				
*Describe	***************************************		***********	******	***************************************	*****				
USE: If u	ed for Irrig	gation, inc	dustrial,	drainage or	other. Ex	plain,				
				or other da						
						*******				
ESTIMATE	ANNUAL		NAL WILL	nown						
Sins of Drilling Male	Sino and Weight of Cusing	(Feet)	(Feet)	,	ERPORATION	3				
	1			Kind No	Prom (Fost)	To (Feet)	ļ			
6*	17 1bs.			3/16x5	07	3.				
	per ft.	0	34	3/ 10X3	21	34				
	1		ţ		,	{			~~~~~~~~~	
	<b>j</b>		ĺ	}		ĺ				
-	N			!		ļ				
		7	Stat	ic water lev	ei20	ft.*				
	X		Pun	nping water	level	yft.4		<b></b> -		
			ma	ssured 60	minutes aft	er pumping			~~~~~~~~	
w			E ÷∧∧		n around le	evel.		-		(
				easured from Il developed						`
						HE				
				narks: (Grav		cementing				
• .				kers, type u		· · · · · · · · · · · · · · · · · · ·				
G./2	NWV S	17 E	., :					-		
1	VI K S	····	D	······						
	LOCATION ALL SQUAR			LACE OF U	SE, IF POS	SIBLE.				
				Ravolli	Drilli	ng Co.				
5-W 4	Pc	x 27.	Victor	r, Monte	na					
urmers A	adress				200	*****		34	Show exact depth of b	ottom

o	T /2   R /7 ω
Top of Ground	STATE OF MONTANA  STATE OF MONTANA  ADMINISTRATOR OF GROUNDWATER CODE  OFFICE OF STATE ENGINEER  Notice of Completion of Groundwater
(Elev. above sea level	
	Appropriation by Means of Well-1/1/E
a I	
	- 1. A
Sand movel	Owner Make Herbert Address
	Driller John Fanell Address Oesles
pit Sand grovel Sand grovel wa	Date of Notice of Appropriation of Groundwater
<b>'</b>	
	Date well started 200 12-1962 Date Completed 240 13. 1962
	Type of well
	(duga driven, bored or (Chule, drill, retary or drill())
	Water Use: Domestic 2 Municipal Other Irrigation
	Industrial Drainage Stock
	TI Indicate on the diagram the character and thickness of the differ
Ī	strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, Show depth at which water is encountered, thickness and character of wa
	bearing strata and height to which water rises in the well.
-	fine of   fine and   Press   To
	Drilled Weight of (Fact) (Feet) PERFURATIONS
İ	5" 5" 1348 6 51 mm (ron)
-	
<u> </u>	Static Water Level for non-flowing Well
	Shut-in Pressure for Flowing Well
	Pumping Water Level
*	
	Discharge in gat, per min, of flowing well.
<b> "</b>	How Tested Backer Length of Test 9 1/25
	Remarks: (Gravel packing, cementing, packers, type of shutoff, 1
	tion of place of use of groundwater if not at well, and
	other similar pertinent information, including number
	other similar pertinent information, including number
N.614 Sec. 18. T. 13.	acres irrigated, if used for irrigation)
Indicate location of we	acres irrigated, if used for irrigation)
	acres irrigated, if used for irrigation)
Indicate location of we place of use, if possible. small square represents 10	acres irrigated, if used for irrigation)
Indicate location of we place of use, if possible.	acres irrigated, if used for irrigation)
Indicate location of we place of use, if possible. small square represents 10	acres irrigated, if used for irrigation)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

FG1.	Approved Stock Form-State Publishing Co., Helena, Montana-42234
File No	T 12 R 17
DUPLICATE	STATE OF MONTANA  ADMINISTRATOR OF GROUNDWATER CODE  OFFICE OF STATE ENGINEER  STATE ENGINEER  STATE ENGINEER
•	Decidiation of Vested Groundwater Rights
County of Dinhave appropriated  Plati  Flati  Sec. 2/  Indicate point of and place of use, if small square representations.	2. The beneficial use on which the claim is based found for two Hauses & insightion lawry garden, & pasture  3. Date or approximate date of earliest beneficial use; and how continuous the use has been Unlander - at least  4. The amount of groundwater claimed (in miner's inches or gallons per minute) approximately for formulation for the lands to which water has been applied and name of the owner thereof which water has been applied and name of the owner thereof the use of the same than the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same for the same
8. The depth of w	ater table Unknown.
9. So far as it m works for the y	iny be available, the type, size and depth of each well or the general specifications of any other withdrawal of groundwater. According to the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the specific at the
10. The estimated	amount of groundwater withdrawn each year Between 5 and 6 million gal.
11. The log of form	nations encountered in the drilling of each well if available.
	ormation of a similar nature as may be useful in carrying out the policy of this act, including ok and page of any county record.
	Signature of Owner
Three copies to be f	iled by the owner with the County Clerk and Recorder of the county in which the well is located.
Please answer all q	uestions. If not applicable, so state, otherwise the form will be returned.
	mty Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of and Quadruplicate for the Appropriator.

215418

I received and filed this instrument is recorded and filed this instrument is recorded. The permanent files of Missoula County, State of Montana Witness my head:

MINS BUILT County Recorder

By Lake Deputy

Fee \$ \_\_\_\_\_\_ Puid

.

2	•				Th.	12 N. R	17 11/	,
e No					1.4			
PLIC.	ATE				Co	unty		
			ADMINIS	STATE RATOR O	OF MONT. F GROUN		<b>1010:</b> 11 vi	<i>}</i> 100 1 −−−
	Top of Ground		OI	FICE OF	STATE EI	GINEER		
ł	(Elev. above sea level	)	Notice of	Comple	etion o	f Grou	ndwat	
-			Approp	riation	by Me	aB\$ Adf	Well	NEF
_	Well Located at Clinton,	, Mont	(Under Ch	apter 237,	Montana S	ession Laws	, 1961)	
. [	0 to 10' Clay & gravel	Owner	Villiam M	pbert	Address	1926 8.	74h T	
-	10' to 31'-8" Sand, grave		Glenn Gamp	705 Ald				
1	and water.							
-	to the		Notice of Appro	priation of <b>K/62</b>	Groundwat	er <b>7</b> 7	/90/62-0	/1/62
•				<b>16</b> /62				
		Type of	well. <b>Drilled</b> . Iriven, bored or		Equipm	ent Used drill, rotary	Ohera (	rill
		drilled			other)	dini, ittaly	<b>71</b>	
.	·	Water I	Use: Domestic	_	nicipal [	Other [	-	igation
-			Industrial		ainage []	Stock [	_	
.			dicate on the d net with in drill					
- }			epth at which w					
		1	-				11	
• }		bearing	strata and heig				11.	
· -	· 	Size of Drilled	Size and Weight of			s in the we	ll. ERFORATION	8
-	=	Size of Drilled Hole	Size and heig	ht to which	water rise	s in the we		To (Feet)
-	======================================	Size of Drilled	Sire and heig  Sire and Weight of Casing 5%I.D.	From (Feet)	water rise	s in the we	ERFORATION From	To
-	<del></del>	Size of Drilled Hole	Stre and Weight of Casing 5"I.D.	From (Feet)	To (Feet)	s in the we	ERFORATION From	To
- - -		Size of Drilled Hole	Sire and heig  Sire and Weight of Casing 5%I.D.	From (Feet)	To (Feet)	s in the we	ERFORATION From	To
- -		Size of Drilled Hole	Stream height of Casing  5"I.D.  seamless  14 lbs to	From (Feet)	To (Feet)	s in the we	ERFORATION From	To
- - - -		Size of Drilled Hole	Stream height of Casing 5"I.D. seamless 14 lbs to foot	Prom (Feet)	To (Feet)	s in the we	ERFORATION From (Feet)	To (Fost)
- - - -		Size of Drilled Hole	Size and Weight of Casing 5"I.D. seamless 14 lbs to foot	From (Feet)  G. L. 1	To (Feet)  31 1-8"	Kind Size	From (Feet)	To (Foot)
-	N N	Size of Drilled Hole  5 **  St. Sh.	Size and weight of Caring 5"I.D. seamless 14 lbs to foot atic Water Level	From (Feet)  G.L. t	To (Feet)  51 -8"  owing Well	s in the we	Prom (Feet)	To (Foot)
-	N	Size of Drilled Hole  5 **  St. Sh.	Size and Weight of Casing 5"I.D. seamless 14 lbs to foot	From (Feet)  G.L. t	To (Feet)  51 -8"  owing Well	s in the we	Prom (Feet)	To (Foot)
	N N	Stre of Drused Hole  5.00  Stre of Drused Hole  5.00  Stre of Drused Hole  Di	Size and weight of Caring 5"I.D. seamless 14 lbs to foot atic Water Level	From (Feet)  G.L. t	To (Feet)  31 -8**  Dwing Well	Kind Size	Prom (Feet)	To (Feet)
	N N	Size of Druled Hole  500  Student Hole  Pu  Di	Size and Weight of Casing 5"I.D. seamless 14 lbs to foot atic Water Level aut-in Pressure imping Water Leischarge in gal.	From (Feet)  G.L. t  I for non-flet for Flowing evel 20	water rise  To (Feet)  31*-8**  Owing Well	Kind Size	From (Feet)  Crem G.L	To (Feet)
		Size of Drilled Hole  500  Sta	Size and weight of Casing 5"I.D. 5"I.D. 14 lbs to foot atic Water Level aut-in Pressure: amping Water L ischarge in gal. ow Tested	From (Feet)  G.L. t  I for non-fle for Flowing evel 20 per min. of pressor	water rise  To (Feet)  311-8*  Owing Well	Kind Size	From (Feet)  Gal.  2 how	To (Feet)
	w	Size of Drilled Hole  500  Sta	Size and heig Weight of Casing 5"I.D.  5"I.D.  14 lbs to foot atic Water Level aut-in Pressure imping Water Level in the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contr	From (Feet)  G.L.   G.L.   I for non-flowing the sevel	water rise  To (Feet)  Display Well	Kind Size  Some  t at	Prom (Feet)  Prom (Feet)  Prom (Feet)  Prom (Feet)	re (Feet)
		Size of Drilled Hole  500  Sta	Size and weight of Caring  5"I.D.  14 lbs to  foot  atic Water Level autin Pressure: amping Water Leischarge in gal. ow Tested	From (Feet)  G.L.   G.L.   I for non-flowing evel 20 per min. of pressor  I packing, place of usimilar per	water rise  To (Feet)  Dit -8*  Dwing Well	Kind Size  TOTAL  At at	Prom (Feet)  Prom (Feet)  2 how  ype of sh  not at we neluding	per minu
	w X	Stre of Druled Hole  500  Str. Sh. Pu Di Re	Size and weight of Caring  5"I.D.  14 lbs to  foot  atic Water Level autin Pressure: amping Water Leischarge in gal. ow Tested	From (Feet)  G.L.   G.L.   I for non-flowing the sevel	water rise  To (Feet)  Dit -8*  Dwing Well	Kind Size  TOTAL  At at	Prom (Feet)  Prom (Feet)  2 how  ype of sh  not at we neluding	e (Feet)  per minu
	X X Sec 2. T.12 N	Stre of Drilled Hole 500 Str. Sh. Pu Di Re	Stream weight of Cashing  5 **I.D.*  5 **I.D.*  5 **I.D.*  14 lbs to  foot  atic Water Level  atic Water Level  atic Pressure:  amping Water Le  ischarge in gal.  we water Level  continues and the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of	From (Feet)  G.L.   G.L.   I for non-flowing evel 20 per min. of pressor  I packing, place of usimilar per	water rise  To (Feet)  31:-8*  Diving Well	s in the we  Rind Size  Some  51 1  t at	Prem G.L  2 how  ype of sh not at we neluding	per minu
	X  Sec 2. T. 12 N  Indicate location of well place of use, if possible.	Stre of Drilled Hole  500  St. Sh. Pu Di Re	Stream weight of Cashing  5 **I.D.*  5 **I.D.*  5 **I.D.*  14 lbs to  foot  atic Water Level  atic Water Level  atic Pressure:  amping Water Le  ischarge in gal.  we water Level  continues and the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of	From (Feet)  G.L.   G.L.   I for non-fle for Flowing evel 20 per min. of pressor  I packing, place of usimilar per regated, if	water rise  To (Feet)  31:-8*  Dwing Well	s in the we  Rind Size  Some  51 1  t at	Prom G.L  2 how  ype of sh not at we neluding	per minu
	X  Market Sec 2 T. 12 N  Indicate location of well	Stre of Drilled Hole  500  St. Sh. Pu Di Re	Stream weight of Cashing  5 **I.D.*  5 **I.D.*  5 **I.D.*  14 lbs to  foot  atic Water Level  atic Water Level  atic Pressure:  amping Water Le  ischarge in gal.  we water Level  continues and the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of	From (Feet)  G.L.   G.L.   I for non-fle for Flowing evel 20 per min. of pressor  I packing, place of usimilar per regated, if	water rise  To (Feet)  31:-8*  Dwing Well	t at	Prom G.L  2 how  ype of sh not at we neluding	fe (Feet)
	X  Sec 2. T. 12 N  Indicate location of well place of use, if possible.	Stre of Drilled Hole  500  St. Sh. Pu Di Re	Stream weight of Cashing  5 **I.D.*  5 **I.D.*  5 **I.D.*  14 lbs to  foot  atic Water Level  atic Water Level  atic Pressure:  amping Water Le  ischarge in gal.  we water Level  continues and the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of	From (Feet)  G.L.   G.L.   I for non-fle for Flowing evel 20 per min. of pressor  I packing, place of usimilar per regated, if	water rise  To (Feet)  Distriction  Well	t at	Prom (Feet)  Prom (Feet)  2 how  ype of sh not at we neluding	fe (Feet)
	X  Sec 2. T. 12 N  Indicate location of well place of use, if possible, small square represents 10	Stre of Drilled Hole  500  St. Sh. Pu Di Re	Stream weight of Cashing  5 **I.D.*  5 **I.D.*  5 **I.D.*  14 lbs to  foot  atic Water Level  atic Water Level  atic Pressure:  amping Water Le  ischarge in gal.  we water Level  continues and the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of	From (Feet)  G.L.   G.L.   I for non-fle for Flowing evel 20 per min. of pressor  I packing, place of usimilar per regated, if	water rise  To (Feet)  31:-3*  Dwing Well	t at	Prom (Feet)  Prom (Feet)  Prom (Feet)  2 how  ype of sh not at we neluding	fe (Feet)
	X  Sec 2. T. 12 N  Indicate location of well place of use, if possible, small square represents 10	Stre of Drilled Hole  500  St. Sh. Pu Di Re	Stream weight of Cashing  5 **I.D.*  5 **I.D.*  5 **I.D.*  14 lbs to  foot  atic Water Level  atic Water Level  atic Pressure:  amping Water Le  ischarge in gal.  we water Level  continues and the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of the continues of	From (Feet)  G.L.   G.L.   I for non-fle for Flowing evel 20 per min. of pressor  I packing, place of usimilar per regated, if	water rise  To (Feet)  31:-3*  Dwing Well	t at	Prom (Feet)  Prom (Feet)  Prom (Feet)  2 how  ype of sh not at we neluding	fe (Feet)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

.

## STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

## NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

		_				_		
(Under	Chapter	237	Montana	Session	Laws.	1961.	88	amended)

Ow	ner	Ren. Henn	<b>R</b>		For Admir	nistrator's II	Se
(	linte	n,Nente	<b>24</b>		Jeine 3 3	04166 4 ,1971 30 Pm	· · · · · ·
Dat			•	l		.,	
Тур	e of we	ıı	brilled.	······	, driven, bored	or drilled)	••••••
Equ	ipment	used	Gran	-4r411 <u>-</u>		or other)	•
		Domestic				r or other) ]   Irrigatio	
	Indu	ustrial 🔲	Drainage	☐ Ot	ner 🖼* 🔻	Garden/Lav	vn 🗀
	i If use state	ed for irriq number of	gation, ind acres and	ostrial, o location	kainaga or	other. Ex	-lat-
EST					000,000	male	• • • • • • • • • • • • • • • • • • • •
EST	IMATED	ANNUAL 1			, 900,900	ERFORATION	
EST	IMATED	ANNUAL Veight of Garing	From (Feet)	VAL2	, 900,900		
EST	IMATED Size of Drilled Hole	ANNUAL Size and Weight of Garing	From (Feet)	VAL2	P Kind Size	ERFORATION From	To (Feet)
EST	IMATED Size of Drilled Hole	ANNUAL Veight of Garing	From (Feet)  16 <sup>st</sup> 2beve	NAL2;	COO GOO P	From (Feet)	To (Fool)

## DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Und	ier Cl	hapter 237	Montana	Session	Laws, 1961	, as amend	led)	Top of	Ground	(Elev. above sea level)	
JY ING	OWN	er with th	e County	Lierk and	nd three co d Recorder be retained	in the cour	filed nty in	From (Feet)	To (Feet)		
Please	answ	er all ques	tions. If s	not applic	cable, so sta	te, otherwis	e the	-0-	3-	matr_tepeall	
Please answer all questions. If not applicable, so state, otherwise the form may be returned.						3_	<b>-</b> -9	-grevil, sand, heableston	100		
OwnerRan MassaFor Administrator's Use						lse	-9-	16	said Agravel		
Address Pear Henry 10 File 304166  Jane 24, 1971						14-	-21-	- corres gravel, lan elay,			
Q1	inter	Xente	<b>36</b>	••••••	5	30 Pm	2	21	-53-	- serset fine gravet, 4	
Date v	vell s	tarted	14.May		GW 1			59-	-3	- outres gravit; - send	
	comp	oleted	le V <sub>ay</sub>			······································				with water	
Туре	of we	II	brilled.	(Dı	ug, driven, bored	or drilled)					
					Churn drill, rotar						
		Domestic			Stock					رو بنگ کا اور مناه سه روه می بداری رو استان در در برای این رود در در در در در در در در در در در در در	
		strial 🗀	_	01	_	Garden/Lav	_				
*Descr		_		•	efo <sub>j</sub> Trai		_				
USE:	f use	d for irrig	gation, inc	destrial,	drainage or	other. Ex	colain.	<del> </del> -			τ-
					or other da		Block				1
						•	••••••				1
ESTIM	ATED	ANNUAL '	WITHDRA		.000,000	<b>50).</b>					1
Size Drill Hol	of led	Size and Weight of <b>Garing</b>	From (Feet)	(Feet)	<u> </u>	PERFORATION	<del> </del>				1
6'	•	65 ed 171b.	16"	39°	Kind Size	(Feet)	(Feet)				1
	ĺ	_,,	ground	-	300/3003	AND BUCKY	XXXXXX				-
											7
	j						1			ر ها ها به ها ها ها ها هم شر باز ربي هم شو <sub>ال</sub> ي به ها شي <sub>ال</sub> ي بي ها ه	1
					_	}					·{
		N		Stat	tie sueten les						1
					tic water lev nping water						1
					25 asured60						-
[		- 1		beg	gan.	IIIIIIIIII CS GII	er bourburg				_
<b>"</b>	$\neg \uparrow$		1		easured from						.]
- 1		Ì			il develope		b <b>resser</b>	\ <u></u>			4
[					ver225a		11 HF	,			1
				Rer	marks: (Grav	vel packing,	, cementing,				]
		5		pac	kers, type c	of shutoff) .		·			4
		M.W.14 S				weld-joi	nts				1
T	.1.2.	N R	<u>.</u>	<u>-</u> ⊽					ļ		4
		~	ν	γ	NACE OF 1	ice ie 004					1
		LL SQUAR			PLACE OF L ACRES,	13E, IF PO	ooible.				7
Driller	r's Sig	nature	Lea	J.l.	OB.	he	•••••				7
Dette	اد هـ داد	' ⊐ ممساسا	- la 199								-
orute	s Ad	aressE	<b>⇒</b> Z. <i>以</i> {	Revell	i, Ment.	************		, <u> </u>	•		
	· · · · · · · · · · · · · · · · · · ·				LICENSI	E NO20	<b>L</b>	<del>-99.1</del> 1		Show exact depth of bottom	1

304/66

I received and tiled this Instrument for record on the 24 day at June 197/...

at 3.30... o clockly... M., permanent tiles of Missoula County State of Montana Witness my nand Waranae & Craye County Recorder By Druttle Manual Padd

T.12 /

DUPLICATE LUCEIVED

MM 3 1971

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

# Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Doc. No. 302029 Filed for record this 29 day of april o'clock 9 M.	Date of Appropriation of Groundwater agail 29/7/ Owner Bol-Moultin Address Clinton, Mondone Contractor (if any)  Address of Contractor
Spring  party  party  party  party  party  party  party  Sec. 2.2 T.12/R. 7/V  Indicate point of appropriation and place of use, if possible.  This oping runs a  pape of walk thin  diamilary more -	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I received and filed this Instrument for record on the 29 minder of Garan 19.71.

It is noticed by M. permanent files of Missoula County, State of Moration Witness my hand:

Verames R. Crouse, County Recorder Transport of County Recorder Property Fee \$20.00.



DRILLER'S LOG Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

## STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

# NOTICE OF COMPLETION OF GROUNDWATER

APPROPRIATION BY MEANS OF WELL Developed after January 1, 1962		•	at which water is found and to which water rises in well.
Alades Chester 227 Manten Cooley Law 2007	Top of G	enund	
This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in	From (Foot) (F	To Feel)	(Elev. above see level)
which the well is located, last copy to be retained by driller.  Please answer all questions. If not applicable, so state, otherwise the form niey be returned.		40	minot think.
and Malling Della & monthline			Valenous
Address Clinton Mortana File 302030			heer pumped any
Box 81 april 29, 197			
Date well started July 1967 GW 1			
completed fully 1945			
Type of well despend (Dug, driven, bored or drilled)			د منظر ہے جا ک فاق کا کر حرک کا ان جا سا ہے اس ما اس ما اس ما
Equipment used OCC (Caura drill, rotary or other)			ه کنامهٔ شروعه او سای به نویش شروع شود سای به در در این از این از این از این از این از این از این از این از ای این از این ا
Water Use: Domestic ☑ Municipal ☐ Stock Ø Irrigation Ø			
Industrial ☐ Drainage ☐ Other ☑* Garden/Lawn ☑			
*Describe Children programme and the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme of the second programme			
state number of acres and location or other data (i.e. Lot, Block and Addition).			
ESTIMATED ANNUAL WITHDRAWAL & YOU in Elin			
Size of Size and Press To PERPORATIONS			
Hote of Ching O 40' Kind From To Size (Foot)			
Blown.			
×			
Static water level 2.6			
at 50 gallons per minute, measured 60 minutes after pumping			
began.  *Measured from ground level.()			
de infinite hours.			
Power Punp ray HP Remarks: (Gravel packing, cementing,			
peckers, type of shutoff			
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.			
Driller's Signature That Montalia			
Driller's Address Dinten, Montanes			

I₩ 3		Approved	i Stock Form-	State Publishin	g Co., Heima,	Montana—393					
File No				Ţ.	121	12	<i></i>				
DUPLICATE				C	bounty_7	2	la-				
	TT 17 TO 17 TO 1	<u></u>	STATE		• •	-					
DEC	医用品学	ADMINIS	TRATOR (	OF GROUD	IDWATER	CODE					
Top of Ground N	3 0 1963	٠. ر				• •					
(Elev. above sea level		Notice of	Compl	etion c	f Grou	ndwai	er				
STAIL	ENUIN	- Abbrob	nation	by M	eans of	AAGII					
- 0 to 1' Top soll		(Under Ch	apter 237,	Montana 8	lession Law	n, 1961)					
- 1º to 21º Sand,gravel	Owner.	John Stitt	************	Addres	Clinter	, Mont					
- com clay.	Delles	01ama A.m.	<b>505</b> 13		. 24						
- 21' to 43' Sand, gravel		DrillerQlonnGamp705Al&cwAddress_Riccouls, Hentens									
- some clay a little water	•	Date of Notice of Appropriation of Groundwater									
- 43' to 56' Sand, gravel	Date we	ll started 3/19/	/63	Date C	ompleted	/21/63	***********				
- & water	Type of	well Prille	<b>.</b>	Equips	uent Used.S	horm dr	111				
-		iriven, bored er			, drill, rotar						
<b>–</b> [		., Use: Domestie 4	_ V	nicipal 🗀			mlandla F				
<del>-</del>	Waler (	Industrial		rinage []	Other   Stock		rigation [				
<del>-</del>	The Inc	licate on the d	iacram the	character	and thick						
-	strata m	et with in drilli	ing, such a	soil, clay,	shale, grav	rel, rock o	r sand, et				
- [		pth at which we strate and heig					r of wate				
	0041114										
~	lites of Dyllied	Man and Weight of	Prem (Feet)	To (Foot)	7	ERFORATION	a				
-	Media	Challeg			Eind Stee	Prom (Foot)	To				
<b>–</b> 1 ,	5"	5°1.D.	1								
<b>-</b>		sealess	6" abov	G.L.							
<b>7</b> 1.		19 1be to	to 56	þ	Jene						
		foot					ļ				
_	<del></del>										
N	St	atic Water Level	for non-flo	wing Well	21' £20	m G.L.	le				
_	81	ut-in Pressure f	or Flowing	Well							
_			_								
_	Pa	mping Water Le	vel <b>#2</b>	fe	rt at	19gai,	per minut				
_	Di	scharge in gal, p	per min. of	flowing w	ell		************				
_	F He	w Tosted Com	970 000Y	Leng	th of Test	1 hr	•				
_	172	marks: (Gravel	neskins	sementing	naokers (	wne of sh	ntoff los				
_		tion of	place of u	se of grou	ndwater if	not at we	ll, and as				
		other a	imilar per	tinent inf	ormation,	including	number				
├ <b>┃ ┖</b> ┷┷┷┪		acres ir	rigated, if	used for ir	rigation)						
- NUL Sec 22 T./2 H	12.		Name								
Indicate location of well											
place of use, if possible.  small square represents 10 s		***************	***************************************	**************							
- 1		************			*******		••••••				
Show exact depth of bottom.				*******	eses # 7	**********					
				Drille	's License	Number					
					lenn	Care	(p.				
				Drille	r's Signatu	re 0	7				

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Becorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

| 1 received and find lists instrument for more of the model of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the st

`	Approved Stock Form-State	Publishing Co., Helena, Montana—41921 👟 🎾 🕹
le No	•	T 1/2 NR 17 W
PLICATE		CountyMasoula
	STATE OF MONTANA	
ADMI	STATE OF MONTANA INISTRATOR OF GROUNDWATER O	CDE DE CETA
	OFFICE OF STATE ENGINEER	UU DEC 30 1963
Declaration (Under	of Vested Groundwate Chapter 237, Montana Session Laws, 1	er Rights Engineer
(Name of Appropriate	or) (Address)	(Town)
County of Masseule	State of	Montana 1 1062 as fallows
-	ording to the Montana laws in effect p	prior to sentiary 1, 1902, as lonows:
N	2. The beneficial use on which the	e claim is based
		ies irrigation for yard)
	3. Date or approximate date of e	earliest beneficial use; and how continu-
	ous the use has been1940	Soutinuous use
		claimed (in miner's inches or gallons
	per minute)	lable
	***************************************	
	5. If used for irrigation, give the	ne acreage and description of the lands
8		plied and name of the owner thereof
E14 Sec. 22 T./2 R./7.		
dicate point of appropriation	***************************************	***************************************
nd place of use, if possible. Each nall square represents 10 acres.		ch water from the ground and the loca-
		ns of withdrawal
	**************************************	***************************************
. The date of commencement and	completion of the construction of the	well, wells, or other works for with-
drawal of groundwater194	<u> </u>	
		•••••••••••••••••••••••••••••••••••••••
). So far as it may be available, th	ne type, size and depth of each well or	the general specifications of any other
		ise 5%, depth 56 !
***************************************		
***************************************		
). The estimated amount of grounds	water withdrawn each vear Not to	notes
1. The log of formations encountered	in the drilling of each well it available	16
	***************************************	***************************************
2. Such other information of a simi	ilar nature as may be useful in carrying county record	ng out the policy of this act, including
***************************************	***************************************	
***************************************		
	Giometura of Amn	Date December 18, 1963
	Signature of Own	D. Decete 16 1049
three copies to be filed by the owner v	with the County Clerk and Recorder of	the county in which the well is located
Please answer all questions. If not ar	pplicable, so state, otherwise the form wi	ll be returned.
•		
Original to the County Clerk and Rec	corder; Duplicate to the State Engineer for the Appropriator.	r; Triplicate to the Montana Bureau of
Mines and Geology, and Quadruplicate		

### RECEIVED

DRILLER'S LOG

STATE OF MONTANA STATE OF MUNICIPAL STATE OF MUNICIPAL STATE OF MUNICIPAL STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE OF MONTANA WATER RESOURCES BOARD


Indicate the character, color, thick-

NOTICE OF COMPLETION OF GROUNDWATERRIMENT OF NATURE gravel, shale, sandstone, etc. Show APPROPRIATION BY MEANS OF WELL CONSERVATION depth at which water is found and height to which water rises in well.

Developed after January 1, 1962

ness of strate such as soil, clay, sand,

(Under C	hapter 237	Montana	Session L	aws, 1961,	as amend	led)	Top of	Ground	(Elev. above sea level)	
which the well is located, last copy to be retained by driller.					From (Feet)	To (Feet)		_		
					9	٤	Crivel, Cobblestenes.	_		
Please answer all questions. If not applicable, so state, otherwise the form may be returned.				6	24	Sand & erryal	<u>-</u> ,			
								_, <del>_</del> ,		
Owner	Ray Zeng	<b>La</b>	<u>-</u>	For Admir	lister "ar's L	ise	-14-	22_	Clay, Sand, & Gravel	
Address				le 2293			22	28_	Sand, Gravel, Some Water	
Qistos	, Mosto			June 29 L.	912 911	5.9.00.	-26	46-	\$114, Sand, Gravel	
Date well s			ν	•		1	-4	2	Steen Gravel, Same Sand,	<u>.</u>
com	pleted5	<b>/</b> ?	2							
Type of we	II D-41	lod	***********	, driven, bored	•••••					
			(Dug					┼		
Equipment	used		(C	nurn drill, roter	or other)	********		<u> </u>		
Water Use:	Domestic	Mui	nicipal 🔲	Stock [	Irrigati	ion 🗆				
Indu	ustrial 🔲	Drainage	☐ Oth	ner 🗆* (	Garden/Lav	wn 🗆				_
*Describe										_
USE: If use	ed for irric	gation, inc	lustrial. d	irainage or	other. E	xolain.		<b>├</b> -	<del> </del>	+
state	number of	acres and	location	or other dat	a (i.e. Lot,	Block		<del> </del>		;
and A	Addition)		······			****				
ESTIMATED	ANNUAL	WITHDRAV	VAL .40.	ma		*********				
Size of Drillat Hole	Size and Weight of Casing	From (Feel)	To (Feet)	1	ERFORATION			<del> </del>		į
Hole	of Casing	(1.00)	(rec)	Kind Size	From	To				į
6" <sup>X</sup>	6 5/8	1.8*	51	2303	(Feet)	(Feet)		<del> </del>		
	17#	gb								1
	}	ł			l			<del> </del>	<del> </del>	)
	}	}		}						į
	ĺ	1			}	1		· <del> </del> -		
	N			<del></del>	10					1
			Stati Piim	ic water lev	el	ft,'	<u> </u>	┼		Ŷ
}}			ં .	.25	gallons	per minute				
	ж !		mea	sured 🕰	minutes af	ter numninc				,
	i	1 1	hea	an.		ioi pomping	\	<del> </del>		
w				easured from		level.	)			
w			*Me Wel	easured from I developed	by Best	level.				
w			*Me Wel for Pow	easured from I developed 2	i by <b>Basi</b> hours. Pump	level.				
W			*Me Wel for Pow Ren	easured from 1 developed 2 /er /er narks: (Grav	by <b>Ba41</b> hours Pump vel packing	level.				
	8		*Me Wel for Pow Rem pac	easured from I developed 2	by <b>Ba41</b> hours Pump vel packing	level.				
SE V		ec22	*Me Wel for Pow Rem pac	easured from 1 developed 2 /er /er narks: (Grav	by <b>Ba41</b> hours Pump vel packing	level.				
SE V	-	ec. 22.	*Me Wel for Pow Rem pac	easured from 1 developed 2 /er /er narks: (Grav	by <b>Ba41</b> hours Pump vel packing	level.				
SE // T. 12	ANW1/4 S (N) R S LOCATION	ec. 22. 17 W 1	*Me Wel for Pow Rem paci	easured from I developed 2	d by Bailhours Pump vel packing of shutoff)	Joseph H				
SE V. T. 12 INDICATE EACH SM	(N)R S LOCATION ALL SQUAR	ec. 22. 17 W I	*Me Wel for Pow Rem paci	easured from I developed 2	d by Ballhours Pump vel packing if shutoff)	January HI J, cementing				
SE V. T. 12 INDICATE EACH SM	(N)R S LOCATION ALL SQUAR	ec. 22. 17 W I	*Me Wel for Pow Rem paci	easured from I developed 2	d by Ballhours Pump vel packing if shutoff)	January HI J, cementing				
SE V T. 12 INDICATE EACH SM	(N)R S LOCATION ALL SQUAR	ec. 22 17 W 1 I OF WEL	*Me Wel for Pow Rem paci	easured from I developed 2	d by Ballhours Pump vel packing if shutoff)	January HI J, cementing				



The state of

Static water level 15.

10 H

13.

T.

TO STATE OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PA

Approved Stock Form-State Publishing Co., Helena, Montana-42234	
reproved Stock Politi-State Publishing Co., Helena, Montana-42234	سا دهست

File	No
------	----

DUPLICATE

County missoulu

### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater RightsTATE ENGINEER

lag seague	(Address)	Clinton
(Name of Appropriator)	(Address)	(Town)
ounty of Mussoula	(Address)  State of Moutan g to the Montana laws in effect prior to	LA
w appropriated groundwater according	g to the Montana laws in effect prior to	January 1, 1962, as follows:
	2. The beneficial use on which the claim is	based Househould
	3. Date or approximate date of earliest b	eneficial use; and how contin
F.		
	4. The amount of groundwater claimed per minute) 400 Hell feer	(in miner's inches or gallor
<u>s</u>	5. If used for irrigation, give the acreag to which water has been applied an	e and description of the land d name of the owner thered
1/4 SHI Sec. 22T. /2 R./7	***************************************	**************************************
cate point of appropriation place of use, if possible. Each	***************************************	***************************************
I square represents 10 acres.	6. The means of withdrawing such water tion of each well or other means of with	lowarh.
The date of commencement and comp drawal of groundwater Startin	***************************************	
The depth of water table. Cour	etion of the construction of the well, we described to water	ils, or other works for wit
The depth of water table. Cour	etion of the construction of the well, we	ils, or other works for wit
The depth of water table. Chouch So far as it may be available, the typ works for the withdrawal of groundwate	etion of the construction of the well, we described to water	ils, or other works for with the about functions of any other works.
The depth of water table. Choure So far as it may be available, the typ works for the withdrawal of groundwate  The estimated amount of groundwater  The log of formations encountered in the	etion of the construction of the well, ye of a fact many 1.5 complete of the well or the general state of 3 f. 2011	ral specifications of any other
The depth of water table. Choure So far as it may be available, the typ works for the withdrawal of groundwate  The estimated amount of groundwater  The log of formations encountered in the	e, size and depth of each well or the general size and depth of each well or the general size and depth of each well or the general size and depth of each well or the general size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the	ral specifications of any other
The depth of water table. Cook  So far as it may be available, the typ works for the withdrawal of groundwate  The estimated amount of groundwater  The log of formations encountered in the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th	e, size and depth of each well or the general size and depth of each well or the general size and depth of each well or the general size and depth of each well or the general size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the size at the	Ils, or other works for with the desired functions of any other works for with the specifications of any other way.  Soil and
The depth of water table. Courselves for the withdrawal of groundwater of the withdrawal of groundwater. The estimated amount of groundwater of the log of formations encountered in the course of the water of the log of formations of a similar national course of the course of the water of the log of formation of a similar nation.	e, size and depth of each well or the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the well of the well of the general state of the well of the well of the well, we have the general state of the well of the well, we have the general state of the well of the well, we have the general state of the well of the well, we have the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the well of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the general state of the g	ral specifications of any other wall.  Sal and policy of this act, including
The depth of water table. Courselves for the withdrawal of groundwater of the withdrawal of groundwater. The estimated amount of groundwater of the log of formations encountered in the course of the water of the log of formations of a similar national course of the course of the water of the log of formation of a similar nation.	e, size and depth of each well or the general depth of each well or the general depth of each well or the general depth of each well or the general depth of each well or the general depth of each well or the general depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well if available depth of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of each well of	ral specifications of any other wall.  Sal and policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 19995

I received 63 fied this instrument in received 63 fied this instrument it is of the field County, State of Montane William & Park County Recorder by Mark County Recorder For Sand County Recorder For Sand County Recorder

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES INCHESTED 1

MONTANA WATER RESOURCES BOARD RECEIVE ness of strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strengt

Developed after January 1, 1962

	hapter 237	Montana	Session	Laws, 1961,	as amend	ed) j	Top of (	Ground	
This form to	This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is lessed but come to be retained by driller.							To (Feet)	_
which the well is located, last copy to be retained by driller.  Please answer all questions. If not applicable, so state, otherwise the form may be returned.							12	15 P	-6
Owner .M.I	Man Rej	<b>a</b> Bessi	e S. Te	rgue For Admir	istrator's U	se	12	52_	_E
Address Inc	æ.622	***********		File	306930	2			
Romer		<b></b>		augus	1:00 A	27			
Date well s	tarted Ame	. 20, 19	<b>71</b>	GW 1					
com	pletedAm	g21,1	971						
Type of we	ii <b>De111</b>	nd		ıg, driven, bored	or drilled)				
Equipment									
Water Use:	Domestic '	<b>t</b> ⊐ Mui		Chura drilli, rotari ] Stock [		on 🛮			
Indu	ustrial 🔲	Drainage		her 🗀 *	Garden/Lav	vn ⊠			
*Describe	_	_			•	_			
USE: If use	ed for irrig	gation, inc	lustrial,	drainage or	other. Ex	oplain,			
				or other da					
	-			•					
Size of Drilled Hole	ilise and Weight of Cooling	From (Feet)	(Feet)	Kind Size	From (Feet)	To (Feet)			
6=	65/8	1 1 7"	521		(F 000)	(Fee)	1 I		Ì
_	-//-	[ • • •	74	20000000	230000	CHECK		î	
-	17 #		) **	3	23000	COLOGE			
-	\		34		2-10000	OR OUT			
-	\		74						
	\								
	17 #		Sta	tic water lev	/el . <b>21</b> !	ft.*			
	17 #		Sta Pui	itic water le	rel .21*	ft.*			
	17 #		Sta Pui at me be	itic water lev	rel .21*	ft.*			
- 	17 #		Sta Puil at me be E +N	itic water level mping water 2000 mping water 2000 mping and 1200	rel .21	per minute ter pumping			
<b>"</b>	17 #		Sta Pul at me be *W W	itic water leveloper to the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control	vel .21	gf. fr.* per minute ter pumping level.			
*	17 #		Sta Puil at me be *// Wi foil Poo Re	tic water let mping water 20 masured 120 masured from the saured vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel packing	per minute ter pumping level.				
	N N		Sta Put at me be */W for Po Re ps	itic water let mping water 20 masured 120 masured from the assured from th	vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel packing	per minute ter pumping level.			
. <b>S.W</b> . y	N N N N N N N N N N N N N N N N N N N	ec	Sta Puti at me be */// Www. foi Po Re pa	tic water let mping water 20 masured 120 masured from the saured vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel .21 vel packing	per minute ter pumping level.				
	N N N N N N N N N N N N N N N N N N N	ec	Sta Put me be *N We fool Re pa	tic water let mping water 20 cassured 120 cassured from the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contro	rel .21 level .2	fi.* per minute ter pumping level.			
	N N N N N N N N N N N N N N N N N N N	ec	Sta Put me be *N We fool Po Re pa	tic water les mping water 20 cassured 120 cassured from the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contro	rel .21 level .2	fi.* per minute ter pumping level.			
	N N N N N N N N N N N N N N N N N N N	OF WEL	Sta Pui at me be *// Wi foi Po Re pa 	passured 120 passured 120 passured 120 passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured from the passured	rel .21* level .21* level .21* mgallons minutes af m ground d by 341. http://www.packing of shutoff)  JSE, IF PC	ft.*  ft.*  per minute ter pumping level.  cementing			
	N N N N N N N N N N N N N N N N N N N	oc	Sta Pull at me be */N Wo fool Re pa	tic water let mping water 20 hassured 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 has under 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 has under 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from	rel .21* level .21* level .21* mgallons minutes af m ground d by 341. http://www.packing of shutoff)  JSE, IF PC	ft.*  ft.*  per minute ter pumping level.  cementing			
	N N N N N N N N N N N N N N N N N N N	OF WEL	Sta Pull at me be */N Wo fool Re pa	tic water let mping water 20 hassured 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 has under 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 has under 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from 120 hassured from	rel .21* level .21* level .21* mailtons minutes af m ground d by Bass Not Pump vel packing of shutoff)  USE, IF PO	ft.*  ft.*  per minute ter pumping level.  cementing  SSSIBLE.			

### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under	Chapter	237	Montena	Session	Laws.	1961.	85	amended
•					,	,		

This form to be prepared by driller, and three copies to be filed by the **ewner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the

form may be returned.
Owned will William Wargaset Mr. Wiles  For Administrator's Use  Address Chiefer, March File 302021  April 29, 1911  Buy 196 History Am
Address Clinting Most File 302031
Bay 146 april 39, 1971
Date well started study 10th 1967 GW 1
Date well started sky 10th 1767 GW 1 completed sky 1224 1947
Type of well
Equipment used Churn drill (Churn drill, rotary or other)
Water Use: Domestic ⊠ Municipal □ Stock □ Irrigation ⊠
Industrial 🗍 Drainage 🗍 Other 🗎 Garden/Lawn 🖪
*Describe
USE: If used for irrigation, industrial, drainage or other. Explain state number of acres and location or other data (i.e. Lot, Block

ESTIMATED ANNUAL WITHDRAWAL 1400 gal in tue PERPORATIONS

o H.

40 H.

and Addition). I aere muse as less

*****		<u> </u>			
	Sec	. 1	1 2 2	ها	_
					1
1				ļ.,	
					ĺ
4ر,			<u> </u>	<u> </u>	١
7	-p		l		l
مس			  - <i></i>	<u> </u>	
ill					
1 c	South	159	Le	222	,

*Measure	ed from g	round level.	
Well dev	eloped b	y majan	4 <u>1</u>
forunce	t /ho	y magazi	/
Power	leetria	Pump	HP
Remarks:	(Gravel	packing, cem hutoff)	enting,

	•		W	•	•••••		•••••			٠.
INDICATI	E LOCATION	OF	WELL	AND	PLACE	OF	USE,	IF	POSSIBLE	Ė,
EACH SA	MALL SQUARE	RE	PRESEN	NTS 40	ACRE	S.				

Driller's	Signature	. Orville	D. willer	
Driller's	Address	clinton,	Wand.	*******

	····			1	JCENSE NO	*****
Him	water	has	pauce	The	Goard of	1 Health

### DRILLER'S LOG

indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

on Laws, 1961, as amended)	Top of	Ground	(Elev. above sea level)
, and three copies to be filed	<u> </u>		
and Recorder in the county in	(Foot)	(Feet)	unknown
to be retained by driller.			
oplicable, so state, otherwise the	0 14.	701	
		12/1	sain of watersulvell
Wargaret Mr. Weleng		<del></del>	
/For Administrator's Use			
File 302031			
Carl 29 1921			until now I can
april 29, 1971			until now I can until now I can
			7
GW 1			
(Dug, driven, bored or drilled)			
1//			
(Churn drill, rotary or other)			
il Stock I Irrigation 🛭			
clock [] inigation [8]			
Other 🗀 * Garden/Lawn 🔯			
		<del> </del> -	
***************************************			
al, drainage or other. Explain,			<del> </del>
ion or other data (i.e. Lot, Block			
une of less			
_			
1400 gal in he.		L	<u> </u>
1400 galina lue			
PERFORATIONS			
st)  PERFORATIONS  Kind Prom To (Foot)  Blo-com paint			
Static water level			
Static water level 26 ft. ft. Pumping water level 5. ft.	<b>'</b>		
Static water level 26 ft. at			
Static water level 26 ft. et.  Permanent Promations  Static water level 26 ft.  Pumping water level 5 ft.  at			
Static water level 26 ft. at			
Static water level 24 ft.  Pumping water level 5 ft.  Pumping water level 5 ft.  Pumping water level 5 ft.  All gallons per minute measured 6 minutes after pumping began.  Wessured from ground level.  Well developed by 2000-100-100.			
Static water level 24 ft.  Pumping water level 5 ft.  Pumping water level 5 ft.  Pumping water level 5 ft.  All gallons per minutes after pumping began.  Weel developed by Manual fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortunation of the fortu			
Static water level 2/ ff.  Press (Feet)  Static water level 4/ ft.  Pumping water level 5/ ft.  at 2/ minutes after pumping began.  *Measured from ground level.  Well developed by manufactured for the formula for the formula for the formula for the formula formula for the formula formula for the formula formula for the formula formula for the formula formula formula for the formula formula formula for the formula formula formula formula for the formula formula for the formula formula for the formula formula for the formula formula for the formula for the formula formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formu			
Static water level 24 ff.  Press (Feet)  Static water level 4 ft.  Pumping water level 5 ft.  at 20 gallons per minute measured 20 minutes after pumping began.  *Measured from ground level.  Well developed by manufactured fortunation hours.  Power electricic Pump 1/2 Hi  Remarks: (Gravel packing, cementing			
Static water level 2/ ff.  Press (Feet)  Static water level 4/ ft.  Pumping water level 5/ ft.  at 2/ minutes after pumping began.  *Measured from ground level.  Well developed by manufactured for the formula for the formula for the formula for the formula formula for the formula formula for the formula formula for the formula formula for the formula formula formula for the formula formula formula for the formula formula formula formula for the formula formula for the formula formula for the formula formula for the formula formula for the formula for the formula formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formula for the formu			
Static water level 24 ff.  Press (Feet)  Static water level 4 ft.  Pumping water level 5 ft.  at 20 gallons per minute measured 20 minutes after pumping began.  *Measured from ground level.  Well developed by manufactured fortunation hours.  Power electricic Pump 1/2 Hi  Remarks: (Gravel packing, cementing			
Static water level 24 ff.  Press (Feet)  Static water level 4 ft.  Pumping water level 5 ft.  at 20 gallons per minute measured 20 minutes after pumping began.  *Measured from ground level.  Well developed by manufactured fortunation hours.  Power electricic Pump 1/2 Hi  Remarks: (Gravel packing, cementing			
Static water level 24 ff.  Press (Feet)  Static water level 4 ft.  Pumping water level 5 ft.  at 20 gallons per minute measured 20 minutes after pumping began.  *Measured from ground level.  Well developed by manufactured fortunation hours.  Power electricic Pump 1/2 Hi  Remarks: (Gravel packing, cementing			
Static water level 26 ft. ft.  Pumping water level 3 ft.  at 20 gallons per minute measured to minutes after pumping began.  *Measured from ground level.  Well developed by manufactor hours.  Power electric Pump 1/2 H  Remarks: (Gravel packing, cementing packers, type of shutoff)			
Static water level 2 ft. ft. Pumping water level 5 ft. at			
Static water level 26 ff. ft. ft. Premi Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Pare			
Static water level 26 ff. ft. ft. Premi Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Pare			
Static water level 2 ff. (Feet)  Static water level 2 ff. (Feet)  Pumping water level 5 ft. at a gallons per minute began.  *Measured from ground level.  Well developed by Magazif for the form from ground level.  Well developed by Magazif for the form ground level.  Power alies fixed Pump. 13 His Remarks: (Gravel packing, cementing packers, type of shutoff)  D PLACE OF USE, IF POSSIBLE.  40 ACRES.			
Static water level 26 ff. ft. ft. Premi Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Parent Pare			

\_\_ HO H \_\_ Show exact depth of bottom

I received and filed this instrument for record on the 17. day at Garach 19.7. day at Garach 19.7. dt. 11.25 o'clock. If M. premanent tiles at Missoula County. State of Massana Witness my nand Versame R. Crouse. County secondar by Manual R. Crouse. County secondar by Manual R. Crouse. County secondary. Deputy Con S. A. C. C. Manual R. Crouse. County secondary.

How TestedAir.Lift Pump									
DUPLICATE  JAN 2 4 1957  County Minsoula  LOG  Bridge of Montana  State Water Register  Addithermatical Cost Montana  Bridge of Ground Minsoula  Addithermatical Of Groundwater  Appropriation by Means of Well  DEVELOPED APTER LANGUARY 1, 1982  26 - 31 Fine sand  a gravel  aixed in some  Clay.  31 - 38 Hean coarse  gravel. Water.  Date of Notice of Appropriation of groundwater Montana Scalon Laws, 1961)  Betty Jame 8/or  Date well started. A9/13/66. Date completed. A9/13/56.  Type of well Brilled. Squipment used. Cabla. Tonks.  Date well started. A9/13/66. Date completed. A9/13/56.  Type of well Brilled. Squipment used. Cabla. Tonks.  Date well started. A9/13/66. Date completed. A9/13/56.  Type of well Brilled. Squipment used. Cabla. Tonks.  Discrete with in drilling, such as scil. city, shale, gravel, rock or and, 66. Show of Costs.  The complete of the discrete water the in the well.  Indicate on the disgram the character and thickness of the different strate and height to which the water rises in the well.  State From surface.  Note:  ABM From Type Groundwater Montana.  On From Type Groundwater Montana.  Other Dariange Other Discrete Strate Montana.  Other Dariange Other Discrete Strate Montana.  Other Dariange Other Discrete Strate Montana.  State From surface.  Note:  Appropriation of groundwater Montana. Montana.  Other Dariange Other Discrete Strate Montana.  Other Dariange Other Discrete Strate Montana.  Other Dariange Other Discrete Strate Montana.  Other Dariange Other Discrete Strate Montana.  State From Strate Montana.  Note: Total Montana.  Note: Total Montana.  State From Strate Montana.  State Office of Roundwater Montana.  Note: Total Montana.  Other Dariange Other Dariange Other Dariange.  Note: Total Montana.  No				• •					
DUPLICATE  JAN 24 1967  County Minsoula  LOG  Brill Addithistrance of Geound Minsoula  Chill Addithistrance of Geoundwater County Minsoula  Chill Addithistrance of Geoundwater County Minsoula  Top of Ground  Appropriation Permatical Log:  Appropriation by Means of Well  DEVELOPED APTER LANGUARY 1, 1982  A pravel  aixed in some Clay.  31 - 34 1 2 and 6/or  Date of Notice of Lompletion of Groundwater Minsoula Laws, 1961)  Betty Jams 6/or  Date of Notice of Appropriation of groundwater Minsoula Montana  Date well started A9/33/65  Date completed A9/13/55  Type of well. Brilling Conaddres Minsoula Montana  Date well started Montejal Stock   Irrigation    Indicate on the diagram the character and thickness of the different strate met with in drilling such as sell; city shale, gravel, rock or sand, de. Shale for the water-bearing strata and height to which the water rises in the well  Six feet from surface.  Nater rises in the well  Six feet from surface.  Mall Sec. 22 T. 1238.174  Indicate location of well and place of use I possible Sec. 23 T. 1238.174  Indicate location of well and place of use I possible Sec. 24 T. 1238.174  Mall Sec. 23 T. 1238.174  Indicate location of well and place of use I possible Sec. 34 the possible sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the		•				-		e	
DUPLICATE  JAN 24 1967  County Minsoula  LOG  Brill Addithistrance of Geound Minsoula  Chill Addithistrance of Geoundwater County Minsoula  Chill Addithistrance of Geoundwater County Minsoula  Top of Ground  Appropriation Permatical Log:  Appropriation by Means of Well  DEVELOPED APTER LANGUARY 1, 1982  A pravel  aixed in some Clay.  31 - 34 1 2 and 6/or  Date of Notice of Lompletion of Groundwater Minsoula Laws, 1961)  Betty Jams 6/or  Date of Notice of Appropriation of groundwater Minsoula Montana  Date well started A9/33/65  Date completed A9/13/55  Type of well. Brilling Conaddres Minsoula Montana  Date well started Montejal Stock   Irrigation    Indicate on the diagram the character and thickness of the different strate met with in drilling such as sell; city shale, gravel, rock or sand, de. Shale for the water-bearing strata and height to which the water rises in the well  Six feet from surface.  Nater rises in the well  Six feet from surface.  Mall Sec. 22 T. 1238.174  Indicate location of well and place of use I possible Sec. 23 T. 1238.174  Indicate location of well and place of use I possible Sec. 24 T. 1238.174  Mall Sec. 23 T. 1238.174  Indicate location of well and place of use I possible Sec. 34 the possible sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the sec. 45 the	-	* * *		A					
DUPLICATE  LOG  Br. STATE OF MONTANA  ADRIBUTATANCE OF GROUNDWARD CODE  APPERO OF STATE ENGINEER  Appropriation by Means of Well  DEVELOYED APTER JANUARY 1, 1982  (Elev. above sea level 3100   Notice of Completion of Groundwater  Appropriation by Means of Well  DEVELOYED APTER JANUARY 1, 1982  (Chef Chapter 237, Montana Session Lawa, 1981)  Betty Jane 4/or  Owner Clayten M. Zanner Address Climton, Montana  Date of Notice of appropriation of groundwater. Montana.  Driller. Liberty, Brilling. Co.address Missonia. Montana  Date well stated. Ap/12/66. Date completed. 19/13/66  Type of well. Brilled. Equipment used. Cable. Tooks  (Day, Driven, bord or dillied)  Water use: Domestic S Montelpal Stock E Irrigation S Indicate on the disgram the character and thickness of the different strate met with indiffing, such as soil; clay, shale, gravel, rock or and, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rise in the well.  Mater rises in the well  Sand Free State Water Level for non-flowing well  Apring Water Level for non-flowing well  Apring Free Well Scale Co. State Water Free In the well.  Mater rises in the well  Sand Free State Water Level for non-flowing well  Apring Water Level for non-flowing well  Apring Free Well Scale Co. State Water Free In the well.  Mater rises in the well  Sand Free State Water Level for non-flowing well  Apring Free Well Scale Co. State Water Free In the well.  Mater rises in the well  Apring Free Well Scale Co. State Water Free Water Free In the well.  Mater Level for non-flowing well  Apring Free Well Scale Co. State Water Free Water Free In the Well  Mater Level for non-flowing well  Apring Free Well Scale Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. State Co. St	UW 2	STAT	E WITED CON						* <del>**</del>
LOG STATE OF MONTANA  ADMINISTRATOR OF GROUNDWATER CODE  Top of Ground Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropriation   Appropr	File No	9171	E WATER COR	SERVATION E	CARD	Т	121 R	17¥	<u> </u>
Top of Ground  Bit ADBRITHMENTACO OF GROUNDWATER CODE  Celv. shows as level 3400 of the Appropriation by Means of Well  O - 4 Pat.  4 - 26 Pine sandy gravel.  Cluder Chapter 237, Montana Session Laws, 1961)  Betty Jane 4/or  Oner Clayten M. Zander Addres Climical Montana  Clayten M. Zander Addres Climical Montana  Date of Notice of appropriation by Means of Well  Detection Arrest plantage   Other    Oner Clayten M. Zander Addres Climical Montana  Date of Notice of appropriation of groundwater Manage Montana  Date of Notice of appropriation of groundwater Manage Montana  Date of Notice of appropriation of groundwater Manage Montana  Date of Notice of appropriation of groundwater Manage Montana  Date of Notice of appropriation of groundwater Manage Montana  Date of Notice of appropriation of groundwater Manage of the Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Montana Mon	DITPLI	MAT'E	JAN 24	1967		Classi	Mi m	Soul a	
Top of Ground  Appropriation  Appropriation State Engineer  Appropriation by Means of Well  DEVELORED APPER JANUARY 1, 1962  4 - 26 Fine sand		Bite	·	Ti Drymett	GTATE:				}*************************************
Top of Ground  Appropriation  (Elev. abors see level 3400 feets  Appropriation by Means of Well  O - 4 Pit.  1 - 26 Fine sandy gravel.  (Under Chapter 237, Montana Session Laws, 1961)  Betty Jane &/or  aired in some  Clay.  Driller Liberty Brilling Goaddress Missonlas, Montana  Clay.  Date of Notice of appropriation of groundwater. Montana. Montana  Date of Notice of appropriation of groundwater. Montana. Montana  Date of Notice of appropriation of groundwater. Montana. Montana  Date of Notice of appropriation of groundwater. Montana.  Date of Notice of appropriation of groundwater. Montana.  Date of Notice of appropriation of groundwater. Montana.  Type of well. Prilling Goaddress Missonlas, Montana  Date of Notice of appropriation of groundwater. Montana.  Water us: Domestic S Municipal Stock S Irrigation E Industrial D brainage Other Other Other Industrial D brainage Other Description of the different strata met with in drilling, such as sell, clay, shale, gravel, rock or sand, sto. Show depth at which water heavener and thekness and character of water-bearing strata and height to which the water rises in the well.  Mater rises in the well  Solution Fressure for Flowing Well-Monta.  No Static Water Level for non-flowing well six feet from surface.  No Static Water Level for non-flowing well six feet from surface.  No Static Water Level for non-flowing well six feet from surface.  No Static Water Level for non-flowing well six feet from surface.  No Static Water Level for non-flowing well six feet from surface.  No Static Water Level for non-flowing well for the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the feet of the	•		*****	ADMINISTR	ATOR C	F GROUP	DWATER	CODE	
Notice of Completion of Groundwater   Appropriation by Means of Well		n Man of Clauma		······································	OF OF	STATE E	nginerr		
Appropriation by Means of Well  DEVELOPED ATTER JANUARY 1, 1982  126 - 31 Fine sand a gravel  aired in some clay, 31 - 34% Clean coarse gravel. Date will started 19/12/169.  Date well started 19/12/169.  Date well started 19/12/169.  Date well started 19/12/169.  Date ompleted 19/12/169.  Type of well Drilles Equipment used. Cabla Touls.  (Dug, Driven, broad or dilled) (Count dill, retary or other  Type of well Drilles Equipment used Cabla Touls.  (Dug, Driven, broad or dilled) (Count dill, retary or other  Type of well Drilles Equipment used Cabla Touls.  (Dug, Driven, broad or dilled) (Count dill, retary or other  Type of well Drilles Equipment used Cabla Touls.  (Dug, Driven, broad or dilled) (Count dill, retary or other)  Water use: Domestic Minister and thickness of the different strate met with in drilling, such as sell, clay, shale, gravel, rock or and, etc. Show depth at which water is encountered, thelmes and character of water-bearing strata and height to which the water rises in the well.  State Water Level for non-flowing well water from surface.  N  Static Water Level for non-flowing well six feet from surface.  N  Static Water Level for non-flowing well water from surface.  N  Static Water Level 50 feet Shut-in Pressure for Flowing Well.Mones  Pumping Water Level 50 feet Shut-in Pressure for Flowing well. Mones  Form all Pressure for Flowing well. Mones  Fumping Water Level 50 feet Shut-in Pressure for Flowing well  Mean-Slewing Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test Lift. Pump Length of Test L	<b> </b>	Approx	or No		omal	tion o	E Gm.	ındıvat	·
DEVELOPED ATTER JANUARY I, 1982  26 - 31 Fine sand a gravel mixed in some clay.  31 - 34 Class coarse gravel. Vater.  Date well started. 19/12/66.  Date completed A.9/12/66.  Date well started. 19/12/66.  Date well started. 19/12/66.  Type of well. D.11166.  [Churn drill, rotary or other)  Water use: Domestic Z Municipal   Stock Z Irajation Z (Churn drill, rotary or other)  Water use: Domestic Z Municipal   Stock Z Irajation Z (Churn drill, rotary or other)  Industria   Driven, bred or drilled)  Stock Z   Trajation Z    Industre use in the different strate with in drilling, such as scil, clay, shale, gravel, or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strate and height to which the water rises in the well  Start and height to which the water rises in the well  Start from surface.  N  Static Water Level for non-flowing well  Non-foot  N  Static Water Level for non-flowing well  Non-foot  N  Static Water Level. 30. feet  Shut-in Pressure for Flowing Well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing Well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing well Mone-Z.  Shut-in Pressure for Flowing well Mone-Z.  Pumping Water Level. 30. feet  Shut-in Pressure for Flowing well Mone-Z.  Shut-in Pressure for Flowing well Mone-Z.  Shut-in Pressure for Flowing well Mone-Z.  Shut-in Pressure for Flowing well mone-Z.  Shut-in Pressure for Flowing well mone-Z.  Shut-in Pressure for Flowing well-developed to the first s	<u>_</u>		•			_			.e(
Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   Second   S	L		•						
Betty Jane 2/or    Size   Section			_						
Driller Likherty Brilling Coaddres Hissonia Montana  Date of Notice of appropriation of groundwater Mona Cilad  Date well started 19/22/55 Date completed 29/22/55  Type of well Driller Equipment used Cabla Tools  (Dug. Driven, bored or drilled) [Courn drill, retary or ether)  Water use: Domestic [5] Municipal [1] Stock [5] Irrigation [5]  Industrial [1] Driang [1] Other [1]  Indicate on the diagram the character and thickness of the different strate met with in drilling, such as sell; clay, shale, gravel, rock or smad, etc. Show depth at which water the encountered, thickness and character of water-bearing strate and height to which the water rises in the well.  Water rises in the well  six feet from surface.  N  Static Water Level for non-flowing well six feet from surface.  N  Static Water Level for non-flowing well soil feet and share the surface of water-bearing strate and height to which the water rises in the well.  N  Static Water Level for non-flowing well six feet from surface.  N  Static Water Level for non-flowing well soil feet at 1.90 gal, per minute.  Discharge in gal, per min. of flowing well soil feet at 1.90 gal, per min. of flowing well soil feet from surface.  N  Static Sec. 22 T. 1225-179 Indicate location of well and place of use, if possible. Each per post shutoff) All seator contains the well in gar well is contained. The open bettom of six inch						Montana S	casion Lav	vs, 1961)	
Owner_MANY.CR. Rs. CARROCK. Address CLARAGOR. MORKARA  Driller Liberty Brilling Go.Address Missonla. Morkara  Date of Notice of appropriation of groundwater. Home filed  Date well started. 19/12/56 Date completed 19/13/66  Type of well Brilling Condition of Groundwater. Home filed  (Dug. Drives, bored or drilled)  (Durn drill, retary or other)  Water use: Domestic [3] Municipal   Stock [5] Irrigation [5]  Industrial Drainage   Other   Irrigation [5]  Industrial Drainage   Other   Irrigation [6]  Industrial Drainage   Other   Irrigation [6]  Industrial Drainage   Other   Other   Irrigation [6]  Industrial Drainage   Other   Trigation [6]  Industrial Drainage   Other   Trigation [6]  Vater rises and height to which the water rises in the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well of the well	<b>-</b>								_
Driller_MARKETY_MTILLING_SOANdress RISSORMS_BANKES_  Date of Notice of appropriation of groundwater	-	mixed in some	OwnerCAS	Azon a	<b>LENARY</b>	Addre	ss.Glims	ANT WALL	Sama
Date of Notice of appropriation of groundwater	<b>L</b>		Driller_L1b	erty Dri	11122	Co.Addr	m.Nisso	nla. M	ntana
Date well started. 19/13/66	_	Clean coarse					_		
Type of wellRrilled	L	gravel. Vater.	Date of Noti	ce of appropr	iation of	groundwa	terXon	aCiled	
Type of wellRrilled			Date well sta	rted 19/1:	2/66	Date	ompleted	10/13/6	6
Churn drill, rotary or other)   Water use:   Domestic   Municipal   Stock   Irrigation   Manual   Drainage   Other	<u> </u>	İ					_		
Water use: Domestic Municipal Stock Irrigation Mandatrial Drainage Other Other Industrial Drainage Other Other Mindustrial Drainage Other Mindustrial Drainage Other Mindustrial Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.	-		Type of wel	n, bored or dril	led)	Equipm Churr	ent used drill rotar	.CARLE7 7 or other)	
Indicate on the diagram the character and thickness of the different strate met with in drilling, such as sell, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.    Note of Driving   Show   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free   Free	<u> </u> -	1		-		-	·	. <b></b>	ration 🕮
met with in drilling, such as scil. clay, sale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.    Note of Debte	<b> -</b> -	1		Industrial				_	,
depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.    Note   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Street   Str	<b> </b>	l .	Indicate	on the diagra	m the ch	aracter and	i thickness	of the diff	erent strate
water rises in the well    Note	L	1	met with in	drilling, such ch water is en	as scil, d	day, shale, d. thickness	gravel, ro mand char	ck or sand, acter of wa	, etc. Show
Water rises in the well six feet from surface.  N  Static Water Level for non-flowing well  Shut-in Pressure for Flowing Well. Mone 2.  Pumping Water Level	<u> </u>	1	strata and he	ight to which	the wat	er rises in	the well.		
Water rises in the well six feet from surface.  N  Static Water Level for non-flowing well  Shut-in Pressure for Flowing Well. Monet.  Pumping Water Level	1		No. of	Size and	From	T.	·		
Water rises in the well six feet from surface.  N  Static Water Level for non-flowing well feet.  Shut-in Pressure for Flowing Well-Mone2.  Pumping Water Level. 30. feet at 100. gal per minute.  Discharge in gal. per min. of flowing well flowing well flowing in gal. per min. of flowing well flowing for the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of	_				(Feet)	(Feet)		,	
Water rises in the well six feet from surface.  N  Static Water Level for non-flowing well feet. Shut-in Pressure for Flowing Well Mones. Pumping Water Level	F		•		ł	}			
Static Water Level for non-flowing well  Shut-in Pressure for Flowing Well Mones.  Pumping Water Level	-		6*			- 64/	_		
Static Water Level for non-flowing well  Shut-in Pressure for Flowing Well. Monest.  Pumping Water Level. 30. feet  at 100 gal. per minute.  Discharge in gal. per min. of flowing well  How Tested. Air Lift Framp.  Length of Test. 14 Lagura.  Remarks: (Gravel packing, cementing, packers, type of shutoff) All water enter  ing well is coming through  place of use, if possible. Each		Voton minor in the mil	•	UD X X		7778		0 # 2	ļ
Shut-in Pressure for Flowing Well. Mone 2.  Pumping Water Level 30	-		•	1	}	}	ł	1	ļ
Shut-in Pressure for Flowing Well. Mone 2.  Pumping Water Level 30	<u> </u>			]	Ì	}			
Shut-in Pressure for Flowing Well. Mone 2.  Pumping Water Level 30	L				ĺ	1	ł	1	1
Shut-in Pressure for Flowing Well. Mone 2.  Pumping Water Level 30			<del></del>	<b>.</b>	ماداداد م	A - A1			
Shut-in Pressure for Flowing Well. Monaf.  Pumping Water Level		I .	<del></del>	<del></del>	<b>─</b> ┐ "	tatic Wa	er Level		•
Pumping Water Level	<u> </u>	1			1.			7	-
at 100 gal per minute.  Discharge in gal per min. of flowing well  How Tested Air Lift Fump.  Length of Test Lik Loure  Bemarks: (Gravel packing, cementing, packers, type of shutoff) All scator enter ing well is coming through the epen bettom of six inch	<b>—</b>	1						_	
Discharge in gal. per min. of flowing well  How Tested		1			l F				
How Tested	<u> </u>	1	<b>*</b>	<del></del>					
How TestedAir Lift Fump.  Length of TestLik.kours  Remarks: (Gravel packing, cementing, packers, type of shutoff) All mater enter  Indicate location of well and place of use, if possible. Each the open bottom of six inch	<u> </u> _	1	1 1	1	I	Discharge	in gal. per	min. of fl	iowing well
Length of Test. 12 Remarks: (Gravel packing, comenting, packers, type of shutoff) 11 water enter ing well is coming through place of use, if possible. Each the open bottom of six inch		]	<del> </del>				*		-
Remarks: (Gravel packing, comenting, pack- ers, type of shutoff) All scatter enter ing well is coming through place of use, if possible. Each the open bottom of six inch	1_	]			1				-
Remarks: (Gravel packing, comenting, pack- ers, type of shutoff) All-water-enter ing well is coming through place of use, if possible. Each the open bottom of six inch	Г	]	<u> </u>	<del></del>					
Indicate location of well and place of use, if possible. Each the epen bottom of six inch		1		-	1	temarks:	(Gravel pad	king, come	nting, pack-
Indicate location of well and place of use, if possible. Each the open bettom of six inch	<b> -</b>	f	¥EL No	.22. T. 1 21					
parto of the position about	<b> -</b>	}	Indicate loc	ation of well	and	**********	************	****************	********
	-	1							

Show exact depth of bottom.

Bottom of hale 34%'

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

acres.

.....15-Acres

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

bet'on completions in this ....

Driller's Signature

area can be depended uson to produce clear sand
free water year after year as long as they are
not overpumped, i.e., they should onlinue on reverse side)
USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addition)

cecived and filed this Instrument for record on the 20. day of Jan. 1967.

at 11.30. o'clock, I. M. permainnt files of Missoula County, State of Montana
Witness my hand:

Veramae R. Crouse, County Recorder
by A. 20. Deputy
Fee \$2.00. 122.61 rates less than 25 to 50% of the tested capacity of the P. Marie, St. (Stant), column 9 \_₩ 3

File No.....

T 12 N R 17 W

DUPLICATE

County Missoula

### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

## Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

•	Date of Appropriation of GroundwaterNovembox1058
DECHIVED	Owner Lila E. Richards Address Clinton, Montana
MON 1 & 101S	Contractor (if any)
DECISED, CONSTREME OF PARCECE	Address of Contractor
Landing to the name of the party	Date Started May., 1968 Date Completed. November 1968
W X	Quantity of water developed and used with explanation of method
SE. 1/4 Sec. 23 T. 12 R. 17.  Indicate point of appropriation and place of use, if possible.  Doc. No. #237/ 32448/  Filed for record this 10 may or Mayer be.	estimate approximate lengths of periods of use.  I'' pipe from spring to house,  for house and yard use  Signature of Owner.
M. D. 19 72, at 3.00 p'plock P.M.	Signature of Owner John November 19, 1972

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not appricable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

For Sand Deputy

,

GV.	

Approved Stock Form-State Publishing Co., Helena, Montana-42234	•

	3
نو د	レノ

T221	No
rne	140

DUPLICATE

County Missoula

### STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER COPE © CENT WENT OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1960) AIC ENGINEER

457		
(Name of Appropriate		(Town)
ounty of Missoula	State of Montana	
ave appropriated groundwater according to Reference	roing to the Montana laws in effect prior to J	anuary 1, 1962, as follows:
N X Springs		
	2. The beneficial use on which the claim is	based
	Domestic and irrigation for	roplani
	3. Date or approximate date of earliest ber	neficial use; and how continu-
	ous the use has beenSummerof39	60Continuous
	uss	/
* * * * * * * * * * * * * * * * * * *	***************************************	•
	4. The amount of groundwater claimed	(in minar's inches or collone
*/	per minute) Unknown	
7	per minue)	
	***************************************	······································
	5. If used for irrigation, give the acreage	and description of the lands
8	to which water has been applied and	name of the owner thereof
prox. 🕦	90 acres, approx. Et SEt, Sec	. 23, T12, 107
Sec. 23. T.12. R. 17.	Owner as shown above.	***************************************
licate point of appropriation	a.co.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************
l place of use, if possible. Euch	6 Mha manus of mithdrawing with sectors	4h
all square represents 10 acres.	6. The means of withdrawing such water i	
	tion of each well or other means of with fed by 6 or 8 aprings and sma	II wasanad atacam
	th domestic improvement completed in.	
The depth of water table	th demestic improvement completed in known  type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.	sumer of 1963.
The depth of water table	th demestic improvement completed in a known  to type, size and depth of each well or the general dwater  150 on face and approx. 12 ft. deep.	sumer of 1963.
The depth of water table	th densitie improvement completed in alknown  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.	sumer of 1963.
The depth of water table	th densitie improvement completed in alknown  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.  ater withdrawn each year.  In the drilling of each well if available.	sumer of 1963.
The depth of water table	th densitie improvement completed in alknown  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.	sumer of 1963.
The depth of water table	th densitie improvement completed in alknown  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.  ater withdrawn each year.  In the drilling of each well if available.	sumer of 1963.
The depth of water table	th densitie improvement completed in known  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. desp.  Ma.  ater withdrawn each year. Unknown  in the drilling of each well if available.	ral specifications of any other
The depth of water table	th densitie improvement completed in the density of each well or the general dwater.  150 on face and approx. 12 ft. deep.  Ma.  In the drilling of each well if available	ral specifications of any other
The depth of water table	th densitie improvement completed in known  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. desp.  Ma.  ater withdrawn each year. Unknown  in the drilling of each well if available.	ral specifications of any other
The depth of water table	th densitie improvement completed in the density of each well or the general dwater.  150 on face and approx. 12 ft. deep.  Ma.  In the drilling of each well if available	ral specifications of any other
The depth of water table	th densitie improvement completed in almown  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.  ater withdrawn each year. Unknown  in the drilling of each well if available	ral specifications of any other
The depth of water table	th densitie improvement completed in almown  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.  ater withdrawn each year. Unknown  in the drilling of each well if available	ral specifications of any other
The depth of water table	th densitie improvement completed in the density of each well or the general dwater.  150 on face and approx. 12 ft. deep.  Ma.  In the drilling of each well if available	ral specifications of any other
The depth of water table	th densitie improvement completed in almown  to type, size and depth of each well or the general dwater.  150 on face and approx. 12 ft. deep.  ater withdrawn each year. Unknown  in the drilling of each well if available	policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 20146

File No. WILL CELLIF DUPLICATE HONGING

1811 STATE OF MONTANA

(A) 2 ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

# Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Doc. No. 303000	Date of Appropriation of Groundwater 4/15/7/
Filed for record	Owner Tames F. Bakeradress Fl-Mar Tr. Ct. Tandes
this 25 day of May	Contractor (if any)
A. D. 19 7/ , at 1:04 o'clock P. M.	Address of Contractor
	Date Started
**	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable. Natural Springs And
	All Other Water Bising On Said
	Parce of land
what had a	
	***************************************
	***************************************
x	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
8	estimate approximate lengths of periods of use
SEVSWISE 24 TIZNRITW	OF The Year
Indicate point of appropriation and place of use, if possible.	•
	**************************************
	***************************************
	Signature of Owner Janua 14 Bake
	Date 5/25/7/
	DOVO many and M. from the formal of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I received and filed this Instrument for record an the 252 day of Mong. 16 71.

of Missoula County. State of Monaria Witness my acad Veramae R. Crouse. County Records:

By 71. 10. Consequence of Monaria Deputy

Fee \$2.00.

GW 3	STATE WITTEN CONTROL BOARD  Approved Stock Form—State	Publishing Co., Helena, Montana—42262	2
File No	SEP 8 1965	T/2N R 17W	1-
DUPLICATE	Bill's McDermott	40.	
XENTREMANE	BUTC Transfer of the Milly and and	County Nilsonla	
	Co. 18	•	
	Danish, State Of Montana		
	DADMINISTRATOR OF COUNDWATE	R CODE	

# Notice of Completion of Groundwater Appropriation Without Well

OFFICE OF STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

		Date of Appropriation of Groundwater. Juniory 1966
	,	
		Owner M. H. Dickinson Address 3710 Pox son St.
		Contractor (if any)
		Address of Contractor
		Date Started Date Completed
	N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
		water when applicable
		Jerina
		on Total Spring Valley Veres
w		on total Apring Valley General su Book &
	×	have 1 Fel D. 71 Min & Courty.
		J. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W. Marie W.
		Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	<u> </u>	estimate approximate lengths of periods of use
	Six 1/4 Sec 2 4 T/2# RIZW	
	Indicate point of appropriation and place of use, if possible.	All lised for domestic phoposes
		Signature of Owner 11.11. Neckinson.
		DIETERATE AT CAMPAGE STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES STORES ST
		Date 44973, 1966.
		<i>r</i>

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Burcau of Mines and Geology and Quadruplicate for the Appropriator.

is jury dida # V

R17 W

MAY 27 1871

County Missoula

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

## Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Doc. No. 302996 Filed for record	Date of Appropriation of GroundwaterMay 22, 1971  Owner Dawn Hunsaker Address Clinton, Montana
this 35 day of 777	Contractor (if any)
o'clock B.M.	Address of Contractor
	Date Sturted. May 22 1971 Date Completed. May 22 1971
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable from unnamed spring for use
	of Lot 32, Spring Valley acres, a platted
	subdivision in NW+SW+, Sec. 24, T 12 N.,
w F	R 17 W., M.P.M., Missoula County, Montana.
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
\$	estimate approximate lengths of periods of use Will be used
NW 14 SW TSec. 24. TL2 No. 17. W Indicate point of appropriation and place of use, if possible.	for irrigation and household use year round.
	Signature of Owner Dawn Heurales
	Da's May 25, 1971
This form to be prepared by contracto	r (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

, RECEL

1 . 1973

T 12N R 17W

DUPLICATE

File No.

MEDITOMA DEPARTMENT OF NATURAL RELIGIENCES AND ORDSERVATION

County Missoula

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

# Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Boc. No. 33035 2 :5450	Date of Appropriation of Groundwater Chul 2 1973  Owner Dawn Hungakus ddress Cinton M
Filed for record	Contractor (if any)
A. D. 19 3 , at 1507	Address of Contractor
- W	Date Started MD1422 1971 Date Completed May 22 1971
W 0	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Wom Lennamor Spring Over the office Sub-cuision was platted Sub-cuision we have a platted Sub-cuision was platted Sub-cuision was Sec 24 TI2N
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use. Will be used
Indicate point of appropriation and place of use, if possible.	Sound of this so filingen citition.
•	Signature of Owner Dawn Wain Suk
	Date April 2 1973

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.